

MBZUAI

Digital.Commons@MBZUAI

Machine Learning Faculty Publications

Scholarly Works

3-18-2022

PRBOOST: Prompt-Based Rule Discovery and Boosting for Interactive Weakly-Supervised Learning

Rongzhi Zhang

Georgia Tech, United States

Yue Yu

Georgia Tech, United States

Pranav Shetty

Georgia Tech, United States

Le Song

Mohamed bin Zayed University of Artificial Intelligence

Chao Zhang

Georgia Tech, United States

Follow this and additional works at: <https://dclibrary.mbzuai.ac.ae/mlfp>

Preprint: arXiv

Archived with thanks to arXiv

Preprint License: CC by NC-ND 4.0

Uploaded May 18, 2022

Recommended Citation

R. Zhang, Y. Yu, P. Shetty, L. Song, and C. Zhang, "PRBOOST: Prompt-Based Rule Discovery and Boosting for Interactive Weakly-Supervised Learning", 2022, arXiv, doi: 10.48550/arXiv.2203.09735

This Article is brought to you for free and open access by the Scholarly Works at Digital.Commons@MBZUAI. It has been accepted for inclusion in Machine Learning Faculty Publications by an authorized administrator of Digital.Commons@MBZUAI. For more information, please contact libraryservices@mbzuai.ac.ae.

PRBOOST: Prompt-Based Rule Discovery and Boosting for Interactive Weakly-Supervised Learning

Rongzhi Zhang

Georgia Tech

rongzhi.zhang@gatech.edu

Yue Yu

Georgia Tech

yueyu@gatech.edu

Pranav Shetty

Georgia Tech

pranav.shetty@gatech.edu

Le Song

MBZUAI

le.song@mbzuai.ac.ae

Chao Zhang

Georgia Tech

chaozhang@gatech.edu

Abstract

Weakly-supervised learning (WSL) has shown promising results in addressing label scarcity on many NLP tasks, but manually designing a comprehensive, high-quality labeling rule set is tedious and difficult. We study interactive weakly-supervised learning—the problem of iteratively and automatically discovering novel labeling rules from data to improve the WSL model. Our proposed model, named PRBOOST, achieves this goal via iterative prompt-based rule discovery and model boosting. It uses boosting to identify large-error instances and then discovers candidate rules from them by prompting pre-trained LMs with rule templates. The candidate rules are judged by human experts, and the accepted rules are used to generate complementary weak labels and strengthen the current model. Experiments on four tasks show PRBOOST outperforms state-of-the-art WSL baselines up to 7.1%, and bridges the gaps with fully supervised models. Our Implementation is available at <https://github.com/rz-zhang/PRBoost>.

1 Introduction

Weakly-supervised learning (WSL) has recently attracted increasing attention to mitigate the label scarcity issue in many NLP tasks. In WSL, the training data are generated by weak labeling rules obtained from sources such as knowledge bases, frequent patterns, or human experts. The weak labeling rules can be matched with unlabeled data to create large-scale weak labels, allowing for training NLP models with much lower annotation cost. WSL has recently achieved promising results in many tasks including *text classification* (Awasthi et al., 2020; Mekala and Shang, 2020; Meng et al., 2020; Yu et al., 2021b), *relation extraction* (Zhou et al., 2020), and *sequence tagging* (Lison et al., 2020; Safranchik et al., 2020; Li et al., 2021b).

Despite its success, WSL is limited by two major factors: 1) the labeling rules, and 2) the static

learning process. First, it is challenging to provide a comprehensive and high-quality set of labeling rules a priori. Labeling rules are often human-written (Ratner et al., 2017; Hancock et al., 2018), but the process of writing labeling rules is tedious and time-consuming even for experts. A few works attempt to automatically discover labeling rules by mining labeled data (Varma and Ré, 2018), or enumerating predefined types. However, the pre-extracted rules are restricted to frequent patterns or predefined types, which are inadequate for training an accurate model. Second, most existing WSL methods are static and can suffer from the noise in the initial weak supervision (Ratner et al., 2017; Zhou et al., 2020; Yu et al., 2021b; Meng et al., 2020; Zhang et al., 2022). As the labeling rule set remains fixed during model training, the initial errors can be amplified, resulting in an over-fitted end model. Interactive rule discovery has been explored in two recent works (Boecking et al., 2021; Galhotra et al., 2021), which solicits human feedback on candidate rules to refine the rule set. Unfortunately, their rule forms are limited to simple repetitive structures such as n -grams (Boecking et al., 2021), and the huge rule search space makes an enumerating-pruning pipeline not scalable for large datasets (Galhotra et al., 2021).

Due to the above reasons, state-of-the-art WSL methods still underperform fully-supervised methods by significant gaps on many NLP tasks. As shown in a recent study (Zhang et al., 2021), the best WSL methods fall behind the best fully-supervised methods in 15 out of 18 NLP benchmarks; and the average performance gap is 18.84% in terms of accuracy or F1 score.

To bridge the gap between weakly-supervised and fully-supervised approaches, we propose an iterative rule discovery and boosting framework, namely PRBOOST for interactive WSL. Compared to existing works on WSL and active learning, PRBOOST features three key designs:

First, we design a rule discovery module that uses rule templates for prompting pre-trained language models (PLMs). By feeding difficult instances and rule templates into PLMs, the module distills knowledge from PLMs via prompting and generates candidate rules that capture key semantics of the input instances. Compared to prior works based on n -grams (Boecking et al., 2021), our prompt-based rule discovery is more expressive and applicable to any tasks that support prompting.

Second, we design a boosting-style ensemble strategy to iteratively target difficult instances and adaptively propose new rules. In each iteration, we reweigh data by the boosting error to enforce the rule discovery module to focus on larger-error instances. This avoids enumerating all the possible rules and implementing post-filtering for novel rules, but directly targets rule discovery on large-error instances to provide complementary information to the current model.

Third, we strategically solicit human feedback to evaluate the candidate rules. Humans are asked to judge whether a candidate rule should be accepted or abstained. The accepted high-quality rules are then used to generate new weak labels that are fed into boosted model training. As the prompt-generated rules are highly interpretable, the rule evaluation is simply a binary choice task for human experts and thus effortless. Unlike traditional active learning methods that annotate individual instances, such a rule-level annotation is more label-efficient because the annotated rules can match large amounts of instances.

We compare our method with supervised, weakly-supervised and interactive learning baselines on four tasks: relation extraction, ontology classification, topic classification, and chemical-protein interaction prediction. The results show: 1) Our method outperforms state-of-the-art weakly-supervised baselines by up to 7.1%; 2) The rule-level annotation helps the model achieve higher model performance compared to the instance-level annotation under the same budget; 3) The machine-discovered and human-evaluated rules are of high quality, which consistently refine the weak labels and the model in each iteration.

Our key contributions are: (1) a prompt-based rule discovery framework for interactive WSL, which provides flexible rule representation while capturing subtle semantics in rule generation; (2) an iterative boosting strategy for discovering novel

rules from hard instances and strengthening the model by an ensemble of complementary weak models; (3) an interpretable and easy-to-annotate interactive process for rule annotation; (4) comprehensive experiments demonstrating the effectiveness of our framework.

2 Related Work

Weakly-Supervised Learning WSL has recently attracted much attention in various NLP tasks. Despite their promising performance on various tasks, manually designing the rules can be time-consuming. Moreover, the noise and incompleteness of the initial rules could be propagated in model training (Zhang et al., 2021). A few works attempt to reduce human efforts in manually designing labeling rules by discovering rules from data. For example, Snuba (Varma and Ré, 2018) generates heuristics based on a small labeled dataset with pre-defined rule types; TALLOR (Li et al., 2021a) and GLaRA (Zhao et al., 2021) study rule expansion for NER problem based on lexical information and then select rules based on a hand-tuned threshold. However, these methods discover rules in a static way and are constrained to task-specific rule types. In contrast, our framework discovers rules iteratively from the entire unlabeled dataset, which can refine the rule set and enlarge its diversity on-the-fly.

Interactive Learning Our work is related to *active learning* (AL) as both involve human annotators in the learning process. However, the key difference is that AL labels *instances* based on various query policies (Holub et al., 2008; Shen et al., 2017; Zhang et al., 2020; Ein-Dor et al., 2020; Margatina et al., 2021; Yu et al., 2021a), while our method does not annotate individual instances, but uses annotated rules to match unlabeled data. This makes our method more label-efficient in leveraging human feedback for creating large-scale labeled data. To the best of our knowledge, only a few works have studied *interactive WSL* (Boecking et al., 2021; Galhotra et al., 2021; Choi et al., 2021; Hsieh et al., 2022) as in our problem. However, they either use simple n -gram based rules (Boecking et al., 2021; Hsieh et al., 2022) that fail to capture sentence-level semantics, or suffer from a huge searching space for context-free grammar rules (Galhotra et al., 2021). Unlike these works, our method uses flexible rule representations based on prompts, and also uses boosting for targeted rule

discovery to avoid enumerating all possible rules and performing post-filtering for novel rules.

Language Model Prompting Our work is also related to prompt-based learning for PLMs, which converts the original task to a cloze-style task and leverages PLMs to fill the missing information (Brown et al., 2020; Liu et al., 2021a). Prompting has been explored in various tasks, including text classification (Hu et al., 2021; Han et al., 2021; Schick and Schütze, 2021a,b), information extraction (Lester et al., 2021; Chen et al., 2021) and text generation (Dou et al., 2021; Li and Liang, 2021). Recent works focus on generating better prompt templates or learning implicit prompt embeddings (Gao et al., 2021; Liu et al., 2021b,c). However, none of these works studied prompting for generating weak labels. Our work is orthogonal to them since we do not aim to optimize prompts for the original task, but uses prompts and PLMs as a knowledge source for rule discovery.

3 Preliminaries

Problem Formulation Weakly-supervised learning (WSL) creates weak labels for model training by applying labeling rules over unlabeled instances D_u . Given an unlabeled instance $x \in D_u$, a labeling rule $r(\cdot)$ maps x into an extended label space: $r(x) \rightarrow y \in \mathcal{Y} \cup \{0\}$. Here \mathcal{Y} is the original label set for the task, and 0 is a special label indicating x is unmatchable by r . Given a set \mathcal{R} of labeling rules, we can apply each rule in \mathcal{R} on unlabeled instances to create a weakly labeled dataset \mathcal{D}'_l .

However, the initial weak labels \mathcal{D}'_l can be highly noisy and incomplete, which hinder the performance of WSL. We thus study the problem of *interactive WSL: how can we automatically discover more high-quality labeling rules to enhance the performance of WSL?* Besides D_u and \mathcal{D}'_l , we also assume access to a small set of clean labels \mathcal{D}_l ($|\mathcal{D}_l| \ll |\mathcal{D}_u|$), and the task is to iteratively find a set of new rules for model improvement. In each iteration t , we assume a fixed rule annotation budget \mathcal{B} , *i.e.*, one can propose at most \mathcal{B} candidate rules $\mathcal{R}_t = \{r_j\}_{j=1}^{\mathcal{B}}$ to human experts for deciding whether each rule should be accepted or not. The accepted rules \mathcal{R}_t^+ are then used to create new weakly labeled instances \mathcal{D}'_t . From $\mathcal{D}'_t \cup \mathcal{D}'_l$, a model $m_t : \mathcal{X} \rightarrow \mathcal{Y}$ can be trained to boost the performance of the current WSL model.

Rule Representation Multiple rule representations have been proposed in WSL for NLP tasks.

For example, *keyword-based rules* are widely used to map certain keywords to their highly correlated labels (Boecking et al., 2021; Meng et al., 2020; Mekala and Shang, 2020; Liang et al., 2020). *Regular expression* is another common rule format, which matches instances with pre-defined surface patterns (Awasthi et al., 2020; Yu et al., 2021b; Zhou et al., 2020). *Logical rules* (Hu et al., 2016; Li et al., 2021a) perform logical operations (such as conjunction \wedge and negation \neg) over atomic rules and can thus capture higher-order compositional patterns.

We adopt a prompt-based rule representation (Section 4.1), which is flexible to encompass any existing rule representations. Our prompt-based rule relies on a rule template $\tau(\cdot)$ for the target task, which contains a [MASK] token to be filled by a PLM \mathcal{M} along with an unlabeled instance x . From the rule template τ , each candidate rule can be automatically derived by $r = g(\mathcal{M}, \tau, x)$. Such a prompt-based rule representation is highly flexible and can be applied to any NLP tasks that support prompting (see examples in Table 1).

4 Methodology

Overview PRBOOST is an iterative method for interactive WSL. In each iteration, it proposes candidate rules from large-error instances, solicits human feedback on candidate rules, generates weak labels, and trains new weak models for ensembling. Figure 1 shows the process in one iteration of PRBOOST, which relies on three key components:

1. *Candidate rule generation.* This component proposes candidate rules to be evaluated by human annotators. Using the small labeled dataset \mathcal{D}_l , it measures the weakness of the current model by identifying large-error instances on \mathcal{D}_l , and proposes rules based on these instances using PLM prompting.
2. *Rule annotation and weak label creation.* This component collects human feedback to improve the weak supervision quality. It takes as input the candidate rules proposed by the previous component, and asks humans to select the high-quality ones. Then the human-selected rules \mathcal{R}_t are used to generate weak labels for the unlabeled instances \mathcal{D}_u in a soft-matching way.
3. *Weakly supervised model training and ensemble.* We train a new weak model m_{t+1} on the updated




Figure 1: Overall framework for PRBOOST. In each iteration, PRBOOST (1) identifies large-error instances from the limited clean data and converts each large-error instance to a prompt template for prompting-based rule discovery; (2) presents candidate rules to human experts for annotation and uses accepted rules to generate new weak labels; (3) trains a new weak model with self-training and ensembles it with the previous models.

weakly labeled dataset \mathcal{D}_r . Then we self-train the weak model m_{t+1} and integrate it into the ensemble model.

4.1 Candidate Rule Generation

Target rule proposal on large-error instances

We design a boosting-style (Hastie et al., 2009) strategy for generating prompt-based candidate rules. This strategy iteratively checks feature regimes in which the current model m_t is weak, and proposes candidate rules from such regimes. We use the small labeled dataset \mathcal{D}_l to identify hard instances, i.e., where the model tends to make cumulative mistakes during iterative learning. The discovered rules can complement the current rule set \mathcal{R} and refine the weak labels, so the next model m_{t+1} trained on the refined weakly labeled data can perform better in the weak regimes.

We initialize the weights of the instances in \mathcal{D}_l as $w_i = 1/|\mathcal{D}_l|, i = 1, 2, \dots, |\mathcal{D}_l|$. During the iterative model learning process, each w_i is updated as the model’s weighted loss on instance $x_i \in \mathcal{D}_l$. Specifically, in iteration $t \in \{1, \dots, n\}$, we weigh the samples by

$$w_i \leftarrow w_i \cdot e^{\alpha_t \mathbb{I}(y_i \neq m_t(x_i))}, i = 1, 2, \dots, |\mathcal{D}_l|. \quad (1)$$

In Equation 1, α_t is the weight of model m_t , which will be used for both detecting hard instances

and model ensembling (Section 4.3). We compute α_t from the model’s error rate on \mathcal{D}_l :

$$\alpha_t = \log \frac{1 - \text{err}_t}{\text{err}_t} + \log(K - 1), \quad (2)$$

where err_t is given by

$$\text{err}_t = \sum_{i=1}^{|\mathcal{D}_l|} w_i \mathbb{I}(y_i \neq m_t(x_i)) / \sum_{i=1}^{|\mathcal{D}_l|} w_i. \quad (3)$$

Intuitively, a sample x_i receives a larger weight w_i (Equation 1) if the model ensemble consistently make mistakes on x_i . A large error is often caused by poor coverage (unlabeled instances matched by few or no rules) or dominating noise in the local feature regimes (rule-matched labels are wrong). The weights can thus guide the rule generator to target the top- n large-error instances $\mathcal{X}_e = \{x_{e_i}\}_{i=1}^n$. By proposing rules from such instances, we aim to discover novel rules that can complement the current rule set and model ensemble most effectively.

Prompt-based rule proposal For a wide range of NLP tasks such as relation extraction and text classification, we can leverage prompts to construct informative rule templates, which naturally leads to expressive labeling rules for WSL.

Motivated by this, we design a rule proposal module based on PLM *prompting*. We present concrete examples of our prompt-based rules in Table 1. The input instance comes from the large-error in-

Input :	Microsoft is an American technology corporation founded by Bill Gates.
Prompt :	[Input] The Person Bill Gates [Mask] the Organization Microsoft.
Rule :	{Entity Pair == (Person, Org)} \wedge { [Mask] == <i>founded</i> } \wedge { $s_{t,j} \geq$ threshold} \rightarrow per:found
Input :	Marvell Software Solutions Israel is a wholly owned subsidiary of Marvell Technology Group.
Prompt :	[Input] The Marvell Software Solutions Israel is a [Mask].
Rule :	{ [Mask] == <i>subsidiary</i> \vee <i>corporation</i> \vee <i>company</i> } \wedge { $s_{t,j} \geq$ threshold} \rightarrow Company
Input :	Liverpool short of firepower for crucial encounter. Rafael Benitez must gamble with Liverpools Champions League prospects tonight but lacks the ammunition to make it a fair fight.
Prompt :	[Mask] News: [Input]
Rule :	{ [Mask] == <i>Liverpool</i> \vee <i>Team</i> \vee <i>Football</i> \vee <i>Sports</i> } \wedge { $s_{t,j} \geq$ threshold} \rightarrow Sports

Table 1: The examples of prompt-based rules for relation extraction, ontology classification, and news topic classification. Here [Input] denotes the original input, [Mask] denotes the mask token, and \wedge , \vee are the logical operators. We use bold words to show the ground-truth label of the original input.

stances identified on the clean dataset \mathcal{D}_l . For each task, we have a task-specific template to reshape the original input for prompting PLMs. The resulting prompt typically includes the original input as the context and a mask token to be filled by the PLMs. The final rule encompasses multiple atomic parts to capture different views of information. Each rule is accompanied by a ground-truth label of the original input instance, such a label will be assigned to the unlabeled instances matched by this rule.

For example, as shown in Table 1, the prompt of the relation extraction task can be "*entity* [MASK] *entity*", which rephrases the original input using relation phrases while keeping the key semantics. Take news topic classification as another example, by filling the masked slot in the prompt, PLMs propose candidate keyword-based rules for topic classification. Different from the rules extracted from surface patterns of the corpus (*e.g.*, *n*-gram rules), such a prompt-based rule proposal can generate words that do not appear in the original inputs—this capability is important to model generalization.

Given a large-error instance $\mathbf{x}_{e_i} \in \mathcal{X}_e$, we first convert it into a prompt by $\mathbf{x}_{p_i} = \tau(\mathbf{x}_{e_i})$. Such a prompt consists of the key components of the original input and a [MASK] token. By inheriting the original input, we construct context for the [MASK] token to be predicted by a pre-trained LM \mathcal{M} . To complete the rule, we feed each \mathbf{x}_{p_i} to \mathcal{M} to obtain the probability distribution of the [MASK] token over the vocabulary \mathcal{V} :

$$p(\text{MASK} = \hat{\mathbf{v}} \mid \mathbf{x}_{p_i}) = \frac{\exp(\hat{\mathbf{v}} \cdot \mathcal{M}(\mathbf{x}_{p_i}))}{\sum_{\mathbf{v} \in \mathcal{V}} \exp(\mathbf{v} \cdot \mathcal{M}(\mathbf{x}_{p_i}))}, \quad (4)$$

where $\mathcal{M}(\cdot)$ denotes the output vector of \mathcal{M} , \mathbf{v} is the embedding of the token in the vocabulary \mathcal{V} , and $\hat{\mathbf{v}}$ is the embedding of the predicted masked token. We collect the top- k predictions with highest $p(\text{MASK} = \hat{\mathbf{v}} \mid \mathbf{x}_{p_i})$ to form the candidate rules.

By filling the rules based on \mathbf{x}_{e_i} with the prompt predictions, we obtain the candidate rule set in iteration t , denoted as $\mathcal{R}_t = \{r_j\}_{j=1}^{\mathcal{B}}$.

4.2 Rule Annotation and Matching

Interactive rule evaluation As the candidate rules \mathcal{R}_t can be still noisy, PRBOOST thus presents \mathcal{R}_t to humans for selecting high-quality rules. Specifically, for each candidate rule $r_j \in \mathcal{R}_t$, we present it along with its prompt template \mathbf{x}_{p_j} to human experts, then they judge whether the rule r_j should be accepted or not. Formally, r_j is associated with a label $d_j \in \{1, 0\}$. When a rule is accepted ($d_j = 1$), it will be incorporated into the accepted rule set \mathcal{R}^+ for later weak label generation.

Weak Label Generation After human evaluation, the accepted rules \mathcal{R}_t^+ are used to match unlabeled instances \mathcal{D}_u . We design a mixed soft-matching procedure for matching rules with unlabeled instances, which combines embedding-based similarity and prompt-based vocabulary similarity. The two similarities complements each other: the embedding-based similarity captures global semantics, while the prompt-based similarity captures local features in terms of vocabulary overlapping. Given a rule $r_j \in \mathcal{R}_t^+$ and an unlabeled instance $\mathbf{x}_u \in \mathcal{D}_u$, we detail the computations of the two similarities below.

First, the embedding similarity is computed as the cosine similarity between the rule and instance embeddings (Zhou et al., 2020):

$$s_j^a = (\mathbf{e}_u \cdot \mathbf{e}_{r_j}) / (\|\mathbf{e}_u\| \cdot \|\mathbf{e}_{r_j}\|), \quad (5)$$

where \mathbf{e}_u is the instance embedding of \mathbf{x}_u and \mathbf{e}_{r_j} is the rule embedding of r_j , both embeddings are obtained from a PLM encoder.

Next, to compute the prompt-based similarity, we feed $\tau(\mathbf{x}_u)$ into the prompting model (Equation 4) and use the top- k candidates of the [MASK] position as the predicted vocabulary for instance \mathbf{x}_u .

We measure the vocabulary overlapping between \mathcal{V}_u and \mathcal{V}_{r_j} as

$$s_j^b = |\mathcal{V}_u \cap \mathcal{V}_{r_j}| / k, \quad (6)$$

where \mathcal{V}_u is the vocabulary of instance \mathbf{x}_u and \mathcal{V}_{r_j} is the vocabulary of rule r_j . Note that for the unlabeled instance, we have $|\mathcal{V}_u| = k$, while for the rule, we have $|\mathcal{V}_{r_j}| \leq k$ because human annotators may abstain some candidate predictions.

The final *matching score* is computed by combining the above two similarities:

$$s_j = \alpha s_j^a + (1 - \alpha) s_j^b. \quad (7)$$

The instance \mathbf{x}_u is matched by the rule r_j if s_j is higher than the matching threshold σ obtained on the development set. When \mathbf{x}_u is matched by multiple rules that provide conflicting labels, we use the one with the highest matching score to assign the weak label. If $\forall j \in 1, \dots, k$, the matching score s_j is lower than σ , we abstain from labeling the instance \mathbf{x}_u .

4.3 Model Training & Ensemble

In iteration t , with the new rule-matched data \mathcal{D}_r , we obtain an enlarged weakly labeled dataset $\mathcal{D}_t = \mathcal{D}_{t-1} \cup \mathcal{D}_r$. We fit a weak model m_t on \mathcal{D}_t by optimizing:

$$\min_{\theta} \frac{1}{|\mathcal{D}_t|} \sum_{(\mathbf{x}_i, \hat{y}_i) \in \mathcal{D}_t} \ell_{\text{CE}}(m_t(\mathbf{x}_i), \hat{y}_i), \quad (8)$$

where \hat{y}_i is the weak label for instance \mathbf{x}_i , and ℓ_{CE} is the cross entropy loss.

While the weakly labeled dataset has been enlarged, there are still unmatched instances in \mathcal{D}_u . To exploit such unlabeled and unmatched instances, we adopt the self-training technique for weak model training (Lee, 2013). The self-training process can propagate information from the matched weak labels to the unmatched instances to improve the model m_t . Following previous models (Xie et al., 2016; Yu et al., 2021b), for each instance $\mathbf{x}_i \in \mathcal{D}_u$, we generate a soft pseudo-label $\tilde{\mathbf{y}}_{ij}$ from the current model m_t :

$$\tilde{\mathbf{y}}_{ij} = \frac{q_{ij}^2 / f_j}{\sum_{j' \in \mathcal{Y}} (q_{ij'}^2 / f_{j'})}, \quad f_j = \sum_i q_{ij} \quad (9)$$

where $q_i = m_t(\mathbf{x}_i)$ is a probability vector such that $q_i \in \mathbb{R}^K$, and q_{ij} is the j -th entry, $j \in 1, \dots, K$.

The above process yields a pseudo-labeled $\tilde{\mathcal{D}}_u$. We update m_t by optimizing:

$$\mathcal{L}_c(m_t, \tilde{\mathbf{y}}) = \frac{1}{|\tilde{\mathcal{D}}_u|} \sum_{\mathbf{x} \in \tilde{\mathcal{D}}_u} \mathcal{D}_{\text{KL}}(\tilde{\mathbf{y}} \| m_t(\mathbf{x})), \quad (10)$$

where $\mathcal{D}_{\text{KL}}(P \| Q) = \sum_k p_k \log(p_k / q_k)$ is the Kullback-Leibler divergence.

Finally, we incorporate the self-trained weak model into the ensemble model. The final model is a weighted ensemble of the weak models:

$$f_{\theta}(\cdot) = \sum_t^n \alpha_t m_t, \quad (11)$$

where a weak model m_t with a low error rate err_t will be assigned a higher coefficient α_t according to Equation 2.

5 Experiments

5.1 Experiment Setup

Tasks and Datasets We conduct experiments on four benchmark datasets, including *TACRED* (Zhang et al., 2017) for relation extraction, *DBPedia* (Zhang et al., 2015) for ontology classification, *ChemProt* (Krallinger et al., 2017) for chemical-protein interaction classification and *AG News* (Zhang et al., 2015) for news topic classification. For the initial weak supervision sources, we use the labeling rules provided by existing works: Zhou et al. (2020) for TACRED, Meng et al. (2020) for DBPedia, and Zhang et al. (2021) for Chemprot and AG News. The statistics of the four datasets are shown in table 5. For the development set, we do not directly use the full development set as suggested by the recent works (Gao et al., 2021; Perez et al., 2021). This prevents the model from taking the advantage of the massive number of labeled data in the development set. Instead, we create a real label-scarce scenario and keep the number of sample in validation set \mathcal{D}_v the same as the limited clean labeled set \mathcal{D}_l , namely $|\mathcal{D}_v| = |\mathcal{D}_l|$.

Baselines We include three groups of baselines:

Fully Supervised Baseline: PLM: We use the pre-trained language model RoBERTa-base (Liu et al., 2019) as the backbone and fine-tune it with the full clean labeled data except for ChemProt. On ChemProt, we choose BioBERT (Lee et al., 2020) as the backbone for all the baselines and our model to better adapt to this domain-specific task. The performance of fully supervised methods serves as an upper bound for weakly-supervised methods.

Weakly Supervised Baselines: (1) **Snorkel** (Ratner et al., 2017) is a classic WSL model. It aggregates different labeling functions with probabilistic models, then fed the aggregated labels to PLM for the target task. (2) **LOTclass** (Meng et al., 2020) is a recent model for weakly-supervised text classification. It uses label names to probe PLMs to generate weak labels, and performs self-training using the weak labels for classification. (3) **CO-**

Method (Metrics)	TACRED (F1)	DBpedia (Acc.)	ChemProt (Acc.)	AG News (Acc.)
Supervised Baselines				
PLM w. 100% training data	66.9 (66.3/67.6)	99.4	79.7	94.4
PLM w. limited training data [†]	32.9 (40.8/27.6)	98.0	59.4	86.4
Weakly Supervised Baselines				
Rule Matching	20.1 (85.0 /11.4)	63.2	46.9	52.3
Snorkel (Ratner et al., 2017)	39.7 (39.2/40.1)	69.5	56.4	86.2
LOTClass (Meng et al., 2020)	—	91.1	—	86.4
COSINE (Yu et al., 2021b)	39.5 (38.9/40.3)	73.1	59.8	87.5
Snorkel + fine-tuning [†]	40.8 (41.0/40.6)	97.6	64.9	87.7
LOTClass + fine-tuning [†]	—	98.1	—	88.0
COSINE + fine-tuning [†]	41.0 (40.4/41.7)	97.9	65.7	88.0
PRBOOST	48.1 (42.7/55.1)	98.3	67.1	88.9

Table 2: Main results on four benchmark datasets. †: we use different proportions of clean data for fine-tuning as described in Section 5.1. We use gray background to show the results of WLS baselines fine-tuned on the clean data. We highlight the best fine-tuned results with purple font, and the best WSL results with blue font.




Figure 2: T-SNE visualization (Van der Maaten and Hinton, 2008) of rule-matched data that mis-classified by the model on AG News dataset. The four classes are represented by different colors, and the black cross denotes the rule-matched data.

SINE (Yu et al., 2021b) is a state-of-the-art method on fine-tuning PLMs with weak supervision. It adopts self-training and contrastive learning to fine-tune LMs with weakly-labeled data.

Interactive Learning Baselines: (1) **Entropy-based AL** (Holub et al., 2008) is a simple-yet-effective method for AL which acquires samples with the highest predictive entropy. (2) **CAL** (Margatina et al., 2021) is the most recent method for active learning. It selects samples has the most diverge predictions from their neighbors for annotation. (3) **IWS** (Boecking et al., 2021) is an interactive WSL model. It firstly generates n-gram terms as candidate rules, then selects quality rules by learning from humans’ feedback. Note that IWS is designed for binary classification, which makes it hard to adapt to classification with multiple labels.

Evaluation Protocol To propose rules on large-error instances, we assume access to a dataset \mathcal{D}_l with a limited number of clean labeled data. For our method, such a clean dataset is only used for identifying large-error instances. For fair comparison, for the WSL baselines, we further fine-tune them using the same clean data and compare with such fine-tuned results. Specifically, we use 5% clean data

for TACRED and ChemProt, 0.5% for AG News and 0.1% for DBPedia. We then implement a 10-iteration rule proposal and weak model training. In each iteration, we identify the top-10 large-error instances and propose 100 candidate rules in total (*i.e.*, 10 candidate rules per instance). Each rule is annotated by three humans, and the annotated rule labels are majority-voted for later weak label generation. Following the common practice (Zhang et al., 2017, 2021), we use F1 score for TACRED and accuracy for other datasets.

5.2 Main Results

Table 2 shows the performance of PRBOOST and the baselines on the four datasets. The results show that PRBOOST outperforms the weakly supervised baselines on all the four datasets. When the weakly supervised baselines are not fine-tuned on \mathcal{D}_l , PRBOOST outperforms the strongest WSL baseline by 8.4%, 7.2%, 7.3%, 2.4% on the four benchmarks. Even when the WSL models are further fine-tuned using clean labeled data, PRBOOST still outperform them by 2.4% on average. Compared against supervised baselines, PRBOOST is significantly better than the fine-tuned model on TA-




Figure 3: Results of interactive methods on AG News CRED, ChemProt and AG News when the training data is limited. For the model fine-tuned with 100% training data, we narrow the gap to fully supervised learning, compared to other WS approaches.

Comparing the performance gains across datasets, the performance gap between PRBOOST and the baselines is the largest on TACRED, which is the most challenging task among the four with 41 different relation types. ChemProt is the smallest dataset with only 5400 training data, so the gain is larger when the WSL methods are fine-tuned with clean labels. The performance gaps among different methods are small on DBpedia, especially after they are fine-tuned using clean labeled data. DBpedia, being a relatively simple dataset, using only 0.1% clean data for fine-tuning RoBERTa already achieves 98% accuracy, and the other WSL methods after fine-tuning perform similarly.

It is worth noting that PRBOOST performs strongly across all the tasks because we can easily design a task-specific prompt template to adapt to each task. In contrast, some WSL baselines are difficult to apply to certain tasks. For example, LOTClass achieves strong performance for DBpedia and AGNews as its weak sources are tailored for text classification. However, it is hard to apply it to relation extraction tasks. Similarly, IWS performs well on binary classification problems using n-gram based rules, but the method is only designed for binary classification, making it unsuitable for complex multi-class tasks.

5.3 Rule Annotation Agreement and Cost

In this set of experiments, we benchmark model performance and annotation cost against interactive learning baselines (detailed in Appendix D): IWS, CAL, and Entropy-based AL. As shown in Figure 3, PRBOOST outperforms IWS that also features rule-level annotation by 1.2% with very close annotation cost. Our method outperforms the best interactive baseline CAL by 1.1% in terms of accuracy, while using about $0.6\times$ annotation cost. While annotating model-proposed rule or instances,




Figure 4: Rule performance and model accuracy v.s. iterations on AG News.

we asked all the three annotators to time their annotation. On average, it takes each annotator less than 3 seconds to annotate one rule, while it takes nearly 10 seconds to annotate one instance. Rule-level annotation is much more efficient than instance-level annotation because 1) we show the prompt rather than the original instance to humans, which is shorter and easier to read; 2) upon scanning the prompt, the annotators can swiftly select qualified rules as they only differ at the [MASK] position. This shows that rule-level annotation is an efficient and suitable paradigm for interactive WSL.

Iteration	1	2	3	4	5	6	7	8	9	10	Overall
\bar{P}	.89	.90	.93	.90	.87	.92	.91	.91	.87	.90	.90
\bar{P}_e	.63	.59	.73	.71	.62	.73	.66	.56	.68	.68	.65
κ	.71	.77	.73	.66	.65	.71	.75	.79	.60	.68	.71

Table 3: Annotation agreement measured by the Fleiss-Kappa κ on AG News. \bar{P} measures annotation agreement over all categories; \bar{P}_e computes the quadratic sum of the proportion of assignments to each category.

For the annotation agreement, we compute Fleiss' kappa κ (Fleiss, 1971) to evaluate the agreement among multiple human annotators. This statistic assesses the reliability of agreement among multiple annotators. $\kappa = 1$ indicates complete agreement over all the annotators, and no agreement results in $\kappa \leq 0$. As shown in Table 3, we obtained an average $\kappa = 0.71$, which means the annotators achieve substantial agreement. For each iteration, the κ ranges between $[0.60, 0.79]$ indicating the stability of the annotation agreement.

5.4 Rule Quality in Iterative Learning

In this set of experiments, we evaluate the quality of the rules discovered by PRBOOST. Figure 2 visualizes the discovered rules on AG News dataset. We observe that 1) the rules can rectify some misclassified data, and 2) the rules can complement each other. For the first observation, we can take Figure 2(a) and Figure 2(b) for example. In iteration 0 where new rules have not been proposed, it is obvious that some green data points and purple data points are mixed into the orange cluster.

After the first-round rule proposal, PRBOOST has already rectified parts of wrong predictions via rule-matching. This is because our rule proposal is targeted on the large-error instances, such as adaptively discovered rules can capture the model’s weakness more accurately compared to the simply enumerated rules. For the second observation, we found that more mis-classified data points get matched by the newly discovered rules as the iteration increases. It demonstrates PRBOOST can gradually enlarge the effective rule set by adding complementary rules, which avoids proposing repetitive rules that can not improve the rule coverage.

Figure 4 shows the changes in rule accuracy, rule coverage, and model performance in the iterative learning process on AG News. As shown, the model’s accuracy increases steadily during learning, which is improved from 86.7% to 88.9% after 10 iterations. This improvement arises from two key aspects of PRBOOST. First, the enlarged rule set continuously augments weakly labeled data, which provides more supervision for the weak model training. Second, the model ensemble approach refines the previous large errors step by step, resulting in increasing ensemble performance.

Regarding the rule coverage and accuracy, we observe the coverage of the rule set is improved from 56.4% to 77.8%, and rule accuracy from 83.1% to 85.6%. Such improvements show that PRBOOST can adaptively propose novel rules to complement the previous rule set, which can match more instances that were previously unmatched. Note that the increased rule coverage has not compromised rule accuracy, but rather improved it. The reason is two-fold: (1) the human-in-the-loop evaluation can select high-quality rules for generating new weak labels; (2) for the instances with wrong initial weak labels, PRBOOST can discover more rules for the same instances and correct the weak labels through majority voting.

5.5 Ablation Study

We study the effectiveness of various components in PRBOOST and show the ablation study results in Figure 5. We have the following findings:

First, the boosting-based iterative rule discovery strategy is effective. For the "w/o ensemble" setting, we fix the annotation budget \mathcal{B} but discover candidate rules from large-error samples in one iteration. The results show the superiority of the iterative strategy in PRBOOST, which brings 1.2%




Figure 5: Ablation study on AG News. The three horizontal lines represent the no-iterative methods. We use COSINE as the initial WS baseline. For the supervised baseline, we fine-tune RoBERTa on 5% clean data.

performance gain. PRBOOST iteratively identifies the current model’s weaknesses and proposes rules to strengthen itself, therefore it adaptively discovers more effective rules than static rule discovery.

Second, ensembling alone without new rule discovery is not as effective. For the "w/o rule" variant, we do not propose new rules, but ensemble multiple self-trained weak classifiers instead. The final performance drops significantly under this setting by 1.5%. It demonstrates the newly proposed rules provide complementary weak supervision to the model. Although simply ensembling multiple weak classifiers also helps WSL, it is not as effective as training multiple complementary weak models as in PRBOOST.

Third, self-training benefits learning from new weak labels. For the "w/o self-training" setting, we do not use the self-training technique when learning each weak classifier. The performance deteriorates by 0.6%. This is because part of the data are still unmatched after we propose new rules, and self-training leverages the unlabeled data to help the model generalize better.

6 Conclusion

We proposed PRBOOST to iteratively discover prompt-based rules for interactive weakly-supervised learning. Through a boosting-style ensemble strategy, it iteratively evaluates model weakness to identify large-error instances for new rule proposal. From such large-error instances, its prompt-based rule discovery module leads to expressive rules that can largely improve rule coverage while being easy to annotate. The discovered rules complement the current rule set and refine the WSL model continuously. Our experiments on four benchmarks demonstrate that PRBOOST can largely improve WSL and narrow the gaps between WSL models and fully-supervised models.

Acknowledgements

This work was supported by ONR MURI N00014-17-1-2656, NSF IIS-2008334, IIS-2106961, and research awards from Google, Amazon, Facebook, and Kolon Inc.

References

- Abhijeet Awasthi, Sabyasachi Ghosh, Rasna Goyal, and Sunita Sarawagi. 2020. [Learning from rules generalizing labeled exemplars](#). In *International Conference on Learning Representations*.
- Benedikt Boecking, Willie Neiswanger, Eric Xing, and Artur Dubrawski. 2021. [Interactive weak supervision: Learning useful heuristics for data labeling](#). In *International Conference on Learning Representations*.
- Tom Brown, Benjamin Mann, Nick Ryder, Melanie Subbiah, Jared D Kaplan, Prafulla Dhariwal, Arvind Neelakantan, Pranav Shyam, Girish Sastry, Amanda Askell, Sandhini Agarwal, Ariel Herbert-Voss, Gretchen Krueger, Tom Henighan, Rewon Child, Aditya Ramesh, Daniel Ziegler, Jeffrey Wu, Clemens Winter, Chris Hesse, Mark Chen, Eric Sigler, Mateusz Litwin, Scott Gray, Benjamin Chess, Jack Clark, Christopher Berner, Sam McCandlish, Alec Radford, Ilya Sutskever, and Dario Amodei. 2020. [Language models are few-shot learners](#). In *Advances in Neural Information Processing Systems*, volume 33, pages 1877–1901.
- Xiang Chen, Xin Xie, Ningyu Zhang, Jiahuan Yan, Shumin Deng, Chuanqi Tan, Fei Huang, Luo Si, and Huajun Chen. 2021. [Adaprompt: Adaptive prompt-based finetuning for relation extraction](#). *arXiv preprint arXiv:2104.07650*.
- Dongjin Choi, Sara Evensen, Çağatay Demiralp, and Estevam Hruschka. 2021. [Tagruler: Interactive tool for span-level data programming by demonstration](#). In *Companion Proceedings of the Web Conference 2021*, pages 673–677.
- Zi-Yi Dou, Pengfei Liu, Hiroaki Hayashi, Zhengbao Jiang, and Graham Neubig. 2021. [GSum: A general framework for guided neural abstractive summarization](#). In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 4830–4842, Online. Association for Computational Linguistics.
- Liat Ein-Dor, Alon Halfon, Ariel Gera, Eyal Shnarch, Lena Dankin, Leshem Choshen, Marina Danilevsky, Ranit Aharonov, Yoav Katz, and Noam Slonim. 2020. [Active Learning for BERT: An Empirical Study](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 7949–7962, Online. Association for Computational Linguistics.
- Joseph L Fleiss. 1971. Measuring nominal scale agreement among many raters. *Psychological bulletin*, 76(5):378.
- Sainyam Galhotra, Behzad Golshan, and Wang-Chiew Tan. 2021. [Adaptive rule discovery for labeling text data](#). In *Proceedings of the 2021 International Conference on Management of Data*, pages 2217–2225.
- Tianyu Gao, Adam Fisch, and Danqi Chen. 2021. [Making pre-trained language models better few-shot learners](#). In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, pages 3816–3830. Association for Computational Linguistics.
- Xu Han, Weilin Zhao, Ning Ding, Zhiyuan Liu, and Maosong Sun. 2021. [Ptr: Prompt tuning with rules for text classification](#). *arXiv preprint arXiv:2105.11259*.
- Braden Hancock, Paroma Varma, Stephanie Wang, Martin Bringmann, Percy Liang, and Christopher Ré. 2018. [Training classifiers with natural language explanations](#). In *Proceedings of the 56th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 1884–1895, Melbourne, Australia. Association for Computational Linguistics.
- Trevor Hastie, Saharon Rosset, Ji Zhu, and Hui Zou. 2009. Multi-class adaboost. *Statistics and its Interface*, 2(3):349–360.
- Alex Holub, Pietro Perona, and Michael C Burl. 2008. [Entropy-based active learning for object recognition](#). In *2008 IEEE Computer Society Conference on Computer Vision and Pattern Recognition Workshops*, pages 1–8. IEEE.
- Cheng-Yu Hsieh, Jieyu Zhang, and Alexander Ratner. 2022. [Nemo: Guiding and contextualizing weak supervision for interactive data programming](#). *arXiv preprint arXiv:2203.01382*.
- Shengding Hu, Ning Ding, Huadong Wang, Zhiyuan Liu, Juanzi Li, and Maosong Sun. 2021. [Knowledgeable prompt-tuning: Incorporating knowledge into prompt verbalizer for text classification](#). *arXiv preprint arXiv:2108.02035*.
- Zhiting Hu, Xuezhe Ma, Zhengzhong Liu, Eduard Hovy, and Eric Xing. 2016. [Harnessing deep neural networks with logic rules](#). In *Proceedings of the 54th Annual Meeting of the Association for Computational Linguistics (Volume 1: Long Papers)*, pages 2410–2420, Berlin, Germany. Association for Computational Linguistics.
- Martin Krallinger, Obdulia Rabal, Saber A Akhondi, et al. 2017. [Overview of the biocreative VI chemical-protein interaction track](#). In *BioCreative evaluation Workshop*, volume 1, pages 141–146.

- Dong-Hyun Lee. 2013. Pseudo-label: The simple and efficient semi-supervised learning method for deep neural networks. In *Workshop on challenges in representation learning, ICML*, volume 3, page 896.
- Jinhyuk Lee, Wonjin Yoon, Sungdong Kim, Donghyeon Kim, Sunkyu Kim, Chan Ho So, and Jaewoo Kang. 2020. Biobert: a pre-trained biomedical language representation model for biomedical text mining. *Bioinformatics*, 36(4):1234–1240.
- Brian Lester, Rami Al-Rfou, and Noah Constant. 2021. [The power of scale for parameter-efficient prompt tuning](#). In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 3045–3059, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Jiacheng Li, Haibo Ding, Jingbo Shang, Julian McAuley, and Zhe Feng. 2021a. [Weakly supervised named entity tagging with learnable logical rules](#). In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, pages 4568–4581, Online. Association for Computational Linguistics.
- Xiang Lisa Li and Percy Liang. 2021. [Prefix-tuning: Optimizing continuous prompts for generation](#). In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, pages 4582–4597, Online. Association for Computational Linguistics.
- Yinghao Li, Pranav Shetty, Lucas Liu, Chao Zhang, and Le Song. 2021b. [BERTifying the hidden Markov model for multi-source weakly supervised named entity recognition](#). In *Proceedings of the 59th Annual Meeting of the Association for Computational Linguistics and the 11th International Joint Conference on Natural Language Processing (Volume 1: Long Papers)*, pages 6178–6190, Online. Association for Computational Linguistics.
- Chen Liang, Yue Yu, Haoming Jiang, Siawpeng Er, Ruijia Wang, Tuo Zhao, and Chao Zhang. 2020. [Bond: Bert-assisted open-domain named entity recognition with distant supervision](#). In *Proceedings of the 26th ACM SIGKDD International Conference on Knowledge Discovery & Data Mining*, page 1054–1064, New York, NY, USA. Association for Computing Machinery.
- Pierre Lison, Jeremy Barnes, Aliaksandr Hubin, and Samia Touileb. 2020. [Named entity recognition without labelled data: A weak supervision approach](#). In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 1518–1533, Online. Association for Computational Linguistics.
- Pengfei Liu, Weizhe Yuan, Jinlan Fu, Zhengbao Jiang, Hiroaki Hayashi, and Graham Neubig. 2021a. Pre-train, prompt, and predict: A systematic survey of prompting methods in natural language processing. *arXiv preprint arXiv:2107.13586*.
- Xiao Liu, Kaixuan Ji, Yicheng Fu, Zhengxiao Du, Zhilin Yang, and Jie Tang. 2021b. P-tuning v2: Prompt tuning can be comparable to fine-tuning universally across scales and tasks. *arXiv preprint arXiv:2110.07602*.
- Xiao Liu, Yanan Zheng, Zhengxiao Du, Ming Ding, Yujie Qian, Zhilin Yang, and Jie Tang. 2021c. Gpt understands, too. *arXiv preprint arXiv:2103.10385*.
- Yinhan Liu, Myle Ott, Naman Goyal, Jingfei Du, Mandar Joshi, Danqi Chen, Omer Levy, Mike Lewis, Luke Zettlemoyer, and Veselin Stoyanov. 2019. Roberta: A robustly optimized bert pretraining approach. *arXiv preprint arXiv:1907.11692*.
- Ilya Loshchilov and Frank Hutter. 2019. [Decoupled weight decay regularization](#). In *International Conference on Learning Representations*.
- Katerina Margatina, Giorgos Vernikos, Loïc Barrault, and Nikolaos Aletras. 2021. [Active learning by acquiring contrastive examples](#). In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*, pages 650–663, Online and Punta Cana, Dominican Republic. Association for Computational Linguistics.
- Dheeraj Mekala and Jingbo Shang. 2020. [Contextualized weak supervision for text classification](#). In *Proceedings of the 58th Annual Meeting of the Association for Computational Linguistics*, pages 323–333, Online. Association for Computational Linguistics.
- Yu Meng, Yunyi Zhang, Jiaxin Huang, Chenyan Xiong, Heng Ji, Chao Zhang, and Jiawei Han. 2020. [Text classification using label names only: A language model self-training approach](#). In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 9006–9017, Online. Association for Computational Linguistics.
- Adam Paszke, Sam Gross, Francisco Massa, Adam Lerer, James Bradbury, Gregory Chanan, Trevor Killeen, Zeming Lin, Natalia Gimelshein, Luca Antiga, et al. 2019. Pytorch: An imperative style, high-performance deep learning library. *Advances in neural information processing systems*, 32:8026–8037.
- Ethan Perez, Douwe Kiela, and Kyunghyun Cho. 2021. True few-shot learning with language models. *arXiv preprint arXiv:2105.11447*.
- Alexander Ratner, Stephen H Bach, Henry Ehrenberg, Jason Fries, Sen Wu, and Christopher Ré. 2017. Snorkel: Rapid training data creation with weak supervision. In *Proceedings of the VLDB Endowment. International Conference on Very Large Data Bases*, volume 11, page 269. NIH Public Access.

- Esteban Safranchik, Shiyong Luo, and Stephen Bach. 2020. Weakly supervised sequence tagging from noisy rules. In *Proceedings of the AAAI Conference on Artificial Intelligence*, volume 34, pages 5570–5578.
- Timo Schick and Hinrich Schütze. 2021a. Exploiting cloze-questions for few-shot text classification and natural language inference. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 255–269, Online. Association for Computational Linguistics.
- Timo Schick and Hinrich Schütze. 2021b. It’s not just size that matters: Small language models are also few-shot learners. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 2339–2352. Association for Computational Linguistics.
- Yanyao Shen, Hyokun Yun, Zachary Lipton, Yakov Kronrod, and Animashree Anandkumar. 2017. Deep active learning for named entity recognition. In *Proceedings of the 2nd Workshop on Representation Learning for NLP*, pages 252–256, Vancouver, Canada. Association for Computational Linguistics.
- Laurens Van der Maaten and Geoffrey Hinton. 2008. Visualizing data using t-sne. *Journal of machine learning research*, 9(11).
- Paroma Varma and Christopher Ré. 2018. Snuba: Automating weak supervision to label training data. In *Proceedings of the VLDB Endowment. International Conference on Very Large Data Bases*, volume 12, page 223. NIH Public Access.
- Junyuan Xie, Ross Girshick, and Ali Farhadi. 2016. Unsupervised deep embedding for clustering analysis. In *International conference on machine learning*, pages 478–487. PMLR.
- Yue Yu, Ling kai Kong, Jieyu Zhang, Rongzhi Zhang, and Chao Zhang. 2021a. Atm: An uncertainty-aware active self-training framework for label-efficient text classification. *arXiv preprint arXiv:2112.08787*.
- Yue Yu, Simiao Zuo, Haoming Jiang, Wendi Ren, Tuo Zhao, and Chao Zhang. 2021b. Fine-tuning pre-trained language model with weak supervision: A contrastive-regularized self-training approach. In *Proceedings of the 2021 Conference of the North American Chapter of the Association for Computational Linguistics: Human Language Technologies*, pages 1063–1077, Online. Association for Computational Linguistics.
- Jieyu Zhang, Cheng-Yu Hsieh, Yue Yu, Chao Zhang, and Alexander Ratner. 2022. A survey on programmatic weak supervision. *arXiv preprint arXiv:2202.05433*.
- Jieyu Zhang, Yue Yu, Yinghao Li, Yujing Wang, Yaming Yang, Mao Yang, and Alexander Ratner. 2021. WRENCH: A comprehensive benchmark for weak supervision. In *Thirty-fifth Conference on Neural Information Processing Systems Datasets and Benchmarks Track*.
- Rongzhi Zhang, Yue Yu, and Chao Zhang. 2020. SeqMix: Augmenting active sequence labeling via sequence mixup. In *Proceedings of the 2020 Conference on Empirical Methods in Natural Language Processing (EMNLP)*, pages 8566–8579, Online. Association for Computational Linguistics.
- Xiang Zhang, Junbo Zhao, and Yann LeCun. 2015. Character-level convolutional networks for text classification. *Advances in neural information processing systems*, 28:649–657.
- Yuhao Zhang, Victor Zhong, Danqi Chen, Gabor Angeli, and Christopher D. Manning. 2017. Position-aware attention and supervised data improve slot filling. In *Proceedings of the 2017 Conference on Empirical Methods in Natural Language Processing*, pages 35–45, Copenhagen, Denmark. Association for Computational Linguistics.
- Xinyan Zhao, Haibo Ding, and Zhe Feng. 2021. GLaRA: Graph-based labeling rule augmentation for weakly supervised named entity recognition. In *Proceedings of the 16th Conference of the European Chapter of the Association for Computational Linguistics: Main Volume*, pages 3636–3649, Online. Association for Computational Linguistics.
- Wenxuan Zhou, Hongtao Lin, Bill Yuchen Lin, Ziqi Wang, Junyi Du, Leonardo Neves, and Xiang Ren. 2020. Nero: A neural rule grounding framework for label-efficient relation extraction. In *The Web Conference*, pages 2166–2176.

A Dataset Details

Weak sources For each dataset above, we have an existing weak source that uses labeling rules to generate weakly labeled data.

1. *TACRED*: We use the rules in Zhou et al. (2020) for the relation extraction task. Their rules are in the form of relation phrases, which include the entity pair and a keyword.
2. *DBpedia*: We use the keywords provided in (Meng et al., 2020) as the labeling rules. Such keywords are indicative to the categories, where the words for the same category have close semantics.
3. *AGNews*, *ChemProt*: We use the rules in Zhang et al. (2021) as the labeling functions. They also extract lexical patterns for weak supervision.

B Hyper-parameters

We show the hyper-parameter configuration in Table 6. We search the batch size in $\{8, 16, 32, 64, 128\}$, AND the coefficient α between $[0, 1]$ with an interval of 0.25. For the optimizer, we use AdamW (Loshchilov and Hutter, 2019) and choose learning rate from $\{5 \times 10^{-6}, 1 \times 10^{-5}, 2 \times 10^{-5}\}$. We keep the number of iterations as 10 for all the tasks and show the top-10 candidate rules to solicit human feedback. ChemProt is a special case where we present the top-20 candidate rules, because this task is more domain-specific than the others, and the involved human annotators have no relevant domain background.

C Implementation Setting

We test our code on the System *Ubuntu 18.04.4 LTS* with CPU: *Intel(R) Xeon(R) Silver 4214 CPU @ 2.20GHz* and GPU: *NVIDIA GeForce RTX 2080*. We implement our method using Python 3.6 and PyTorch 1.2 (Paszke et al., 2019).

D Interactive baselines

For interactive learning, We include an interactive weak supervision framework IWS (Boecking et al., 2021), the most recent AL method CAL (Margatina et al., 2021) and the entropy-based AL as baselines. Our goal is 1) to compare the annotation cost of rule-level annotation and instance-level annotation; 2) to compare the model performance with the same annotation budget.

Because IWS is designed for the binary classification problem, we revise its implementation by integrating multiple binary predictions for multi-class tasks. Specifically, we obtain the predicted probability over all categories from each classifier, and select the category with the highest probability as the final prediction. When the number of category is large, this approach becomes cumbersome as training multiple classifiers is time-consuming. Therefore, we only run IWS on AG News, which has 4 categories. We report the results of these interactive methods in Section 5.3 and the following Appendix E.

E User Study




Figure 6: Annotation cost of interactive methods measured by annotation time on AGNews. Both PR-BOOST and IWS use rule-level annotation, while AL baselines use instance-level annotation.

In this user study, we aim to measure the annotation cost and the inter-annotator agreement during the rule annotation process. We ask three human annotators to participate in the 10-iteration experiment. In each iteration, humans are asked to annotate 100 candidate rules. We count the time in each iteration and their binary decisions on each candidate rule. The averaged annotation time is compared in Section 5.3 and we present more details in Figure 6.

The rule-level annotation agreement is measured by the Fleiss' kappa κ defined as

$$\kappa = (\bar{P} - \bar{P}_e) / (1 - \bar{P}_e), \quad (12)$$

where \bar{P} measures the annotation agreement over all categories, and \bar{P}_e computes the quadratic sum of the proportion of assignments to each category. The results in Section 5.3 demonstrate that human annotators can achieve substantial agreement on rule-level annotation.

The rules to be annotated are generated from

Rule	Label
If [Mask] prediction is in { <i>Economic, Deal, Business, Market</i> }	Business
If [Mask] prediction is in { <i>Microsoft, Tech, Software</i> }	Sci/Tech
If [Mask] prediction is in { <i>African, Global, World</i> }	World
If [Mask] prediction is in { <i>NFL, Sports, Team, Football</i> }	Sports
If entity pair == (Organization, Organization) and [Mask] prediction is in { <i>formerly, called, aka</i> }	org:alternate_names
If entity pair == (Person, Organization) and [Mask] prediction is in { <i>founded, established, started</i> }	org:founded_by
If entity pair == (Person, Title) and [Mask] prediction is in { <i>president, head, chairman, director</i> }	org:top_members
If entity pair == (Person, City) and [Mask] prediction is in { <i>moved to, lived in, grew in</i> }	per:city_of_residence

Table 4: More rule examples on the text classification dataset AG News and the relation extraction dataset TACRED.

Dataset	Task	Domain	# Class	# Train	# Test
TACRED	Relation Extraction	Web Text	41	68,124	15,509
DBpedia	Ontology Classification	Wikipedia Text	14	560,000	70,000
Chemprot	Chemical-protein Interaction Prediction	Biology	10	5,400	1,400
AG News	News Topic Classification	News	4	120,000	7,600

Table 5: Dataset statistics.

Hyper-parameter	TACRED	DBpedia	ChemProt	AG News
Maximum Tokens	128	256	512	128
Batch Size	32	32	8	32
Learning Rate	2×10^{-5}	10^{-5}	10^{-5}	10^{-5}
Dropout Rate	0.2	0.1	0.1	0.1
# Iterations	10	10	10	10
α	0.5	0.25	0.5	0.25
k	10	10	20	10

Table 6: Hyper-parameter configurations.

open-source PLMs and public data. We believe this rule-level annotation process will not amplify any bias in the original data. We do not foresee any ethical issues or direct social consequences.

F Model Ensemble

In practice, we keep α_t for each weak model as same during the model ensemble. Equation 11 weights each weak model m_t by a computed coefficient α_t . Intuitively, the weak model m_t with higher α_t impacts the ensemble results more. This paradigm is proved to be effective under fully-supervised settings, but we found it is not directly applicable in WSL. Since we initialize a model m_0 on the given weak source and it can achieve a relatively strong performance (much better than random guess), *i.e.*, the error rate err_0 is low. It makes a high α_0 based on Equation 2, so the initialized model will dominate the following prediction, thus limiting the effectiveness of the model

ensemble. Therefore, we assign the same weight to each weak model but still follow the design of identifying large-error instances. This is reasonable as the weight w_i computed by Equation 1 still reflects the model weakness and can guide the rule proposal. By discovering rules based on the large-error instances, we iteratively complement the feature regimes through the model training on rule-matched data and strengthen the ensemble model.