

MBZUAI

Digital.Commons@MBZUAI

---

Computer Vision Faculty Publications

Scholarly Works

---

10-22-2022

## Dense Gaussian processes for few-shot segmentation

Joakim Johnander

*Linköping University & Zenseact AB*

Johan Edstedt

*Linköping University*

Michael Felsberg

*Linköping University*

Fahad Shahbaz Khan

*Mohamed bin Zayed University of Artificial Intelligence & Linköping University*

Martin Danelljan

*ETH Zürich*

Follow this and additional works at: <https://dclibrary.mbzuai.ac.ae/cvfp>



Part of the [Artificial Intelligence and Robotics Commons](#)

IR conditions: non-described

---

### Recommended Citation

J. Johnander, J. Edstedt, M. Felsberg, F.S. Khan, and M. Danelljan, "Dense Gaussian processes for few-shot segmentation", in *Computer Vision (ECCV 2022)*, Lecture Notes in Computer Science, vol 13689, pp. 217-234, Oct. 2022, doi:10.1007/978-3-031-19818-2\_13

This Conference Proceeding is brought to you for free and open access by the Scholarly Works at Digital.Commons@MBZUAI. It has been accepted for inclusion in Computer Vision Faculty Publications by an authorized administrator of Digital.Commons@MBZUAI. For more information, please contact [libraryservices@mbzuai.ac.ae](mailto:libraryservices@mbzuai.ac.ae).

# DENSE GAUSSIAN PROCESSES FOR FEW-SHOT SEGMENTATION

**Joakim Johnander**  
Linköping University  
Zenseact AB  
joakim.johnander@liu.se

**Johan Edstedt**  
Linköping University  
johan.edstedt@liu.se

**Michael Felsberg**  
Linköping University  
michael.felsberg@liu.se

**Fahad Shahbaz Khan**  
Mohamed bin Zayed University of AI  
Linköping University  
fahad.khan@mbzuai.ac.ae

**Martin Danelljan**  
Computer Vision Lab, ETH Zürich  
martin.danelljan@vision.ee.ethz.ch

## ABSTRACT

Few-shot segmentation is a challenging dense prediction task, which entails segmenting a novel query image given only a small annotated support set. The key problem is thus to design a method that aggregates detailed information from the support set, while being robust to large variations in appearance and context. To this end, we propose a few-shot segmentation method based on dense Gaussian process (GP) regression. Given the support set, our dense GP learns the mapping from local deep image features to mask values, capable of capturing complex appearance distributions. Furthermore, it provides a principled means of capturing uncertainty, which serves as another powerful cue for the final segmentation, obtained by a CNN decoder. Instead of a one-dimensional mask output, we further exploit the end-to-end learning capabilities of our approach to learn a high-dimensional output space for the GP. Our approach sets a new state-of-the-art for both 1-shot and 5-shot FSS on the PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup> benchmarks, achieving an absolute gain of +14.9 mIoU in the COCO-20<sup>i</sup> 5-shot setting. Furthermore, the segmentation quality of our approach scales gracefully when increasing the support set size, while achieving robust cross-dataset transfer.

## 1 INTRODUCTION

Image few-shot segmentation (FSS) of semantic classes (Shaban et al., 2017) has received increased attention in recent years. The aim is to segment novel *query* images based on only a handful annotated training samples, usually referred to as the *support set*. The FSS method thus needs to extract information from the support set in order to accurately segment a given query image. The problem is highly challenging, since the query image may present radically different views, contexts, scenes, and objects than what is represented in the support set.

The core component in any FSS framework is the mechanism that extracts information from the support set to guide the segmentation of the query image. However, the design of this module presents several challenges. First, it needs to aggregate detailed yet generalizable information from the support set, which requires a flexible representation. Second, the FSS method should effectively leverage larger support sets, achieving scalable segmentation performance when increasing its size. While perhaps trivial at first glance, this has proved to be a major obstacle for many state-of-the-art methods, as visualized in Fig. 1. Third, the method is bound to be queried with appearances not included in the support set. To achieve robust predictions even in such common cases, the method needs to assess the relevance of the information in the support images in order to gracefully revert to e.g. learned segmentation priors when necessary.

---

\*Code will be made available at <https://github.com/joakimjohnander/DGPNNet>




Figure 1: Performance of the proposed DGPNet approach on the PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup> benchmarks, compared to the state-of-the-art. We plot the mIoU (higher is better) for different number of support samples. For our approach, we show the mean and standard deviation over 5 experiments. Our GP-based method effectively leverages larger support sets, achieving substantial improvements in segmentation accuracy. Our method also excels in the extreme one-shot case, even outperforming all previously reported results on COCO-20<sup>i</sup> for any support size.

We address the aforementioned challenges by densely aggregating information in the support set using Gaussian Processes (GPs). Specifically, we use a GP to learn a mapping between dense local deep feature vectors and their corresponding mask values. The mask values are assumed to have a jointly Gaussian distribution with covariance based on the similarity between the corresponding feature vectors. This permits us to extract detailed relations from the support set, with the capability of modeling complex, non-linear mappings. As a non-parametric model, the GP further effectively benefits from additional support samples, since all given data is retained. As shown in Fig. 1, the segmentation accuracy of our approach improves consistently with the number of support samples. Lastly, the predictive covariance from the GP provides a principled measure of the uncertainty based on the similarity with local features in the support set.

Our FSS approach is learned end-to-end through episodic training, treating the GP as a layer in a neural network. This further enables us to learn the output space of the GP. To this end, we encode the given support masks with a neural network in order to achieve a multi-dimensional output representation. In order to generate the final masks, our decoder module employs the predicted mean query encodings, together with the covariance information. Our decoder is thus capable of reasoning about the uncertainty when fusing the predicted mask encodings with learned segmentation priors. Lastly, we further improve our FSS method by integrating dense GPs at multiple scales.

We perform comprehensive experiments on two benchmarks: PASCAL-5<sup>i</sup> (Shaban et al., 2017) and COCO-20<sup>i</sup> (Nguyen & Todorovic, 2019). Our proposed DGPNet outperforms existing methods for 1-shot and 5-shot by a large margin, setting a new state-of-the-art on both benchmarks. When using the ResNet101 backbone, our DGPNet achieves an absolute gain of 14.9 for 5-shot segmentation on the challenging COCO-20<sup>i</sup> benchmark, compared to the best reported results in the literature. We further demonstrate the cross-dataset transfer capabilities of our DGPNet approach from COCO-20<sup>i</sup> to PASCAL and perform detailed ablative studies to probe the effectiveness of our contributions.

## 2 RELATED WORK

**Few-Shot Segmentation** The earliest work in few-shot segmentation (FSS), by Shaban et al. (2017), proposed a method for predicting the weights of a linear classifier based on the support set, which was further built upon in later works (Siam et al., 2019; Liu et al., 2020a; Boudiaf et al., 2021). Instead of learning the classifier directly, Rakelly et al. (2018) proposed to construct a global conditioning prototype from the support set and concatenate it to the query representation, with several




Figure 2: Overview of our approach. Support and query images are fed through an encoder to produce deep features  $\mathbf{x}_S$  and  $\mathbf{x}_Q$  respectively. The support masks are fed through another encoder to produce  $\mathbf{y}_S$ . Using Gaussian process regression, we infer the probability distribution of the query mask encodings  $\mathbf{y}_Q$  given the support set and the query features (see equations 5-7). We create a representation of this distribution and feed it through a decoder. The decoder then predicts a segmentation at the original resolution.

subsequent works (Dong & Xing, 2019; Zhang et al., 2020; Wang et al., 2019; Nguyen & Todorovic, 2019; Zhang et al., 2019b; Liu et al., 2020c; Azad et al., 2021; Liu et al., 2020b; Xie et al., 2021; Wang et al., 2021). A major limitation of these methods is the *unimodality* assumption. To alleviate this problem, Zhang et al. (2021) construct additional prototypes by a self-guided module, while Yang et al. (2020a); Liu et al. (2020c); Li et al. (2021) instead cluster multiple prototypes to create a richer representation. However, clustering introduces extra hyperparameters, such as the number of clusters, as well as optimization difficulties. In contrast, our method is not restricted in any such sense, and only requires us to choose an appropriate kernel. Some recent works consider pointwise correspondences between the support and query set. These works have mostly focused on attention or attention-like mechanisms (Zhang et al., 2019a; Yang et al., 2020b; Hu et al., 2019; Tian et al., 2020; Wang et al., 2020). In contrast with these methods, we construct a principled posterior over functions, which greatly aids the decoder.

**Combining GPs and Neural Networks** While early work focused on combining GPs and neural networks in the standard supervised classification setting (Salakhutdinov & Hinton, 2009; Wilson et al., 2016; Calandra et al., 2016), there has recently been an increased interest in utilizing Gaussian processes in the context of *few-shot classification* (Patacchiola et al., 2020; Snell & Zemel, 2021). Previous works employ the GP in the classification setting and as the final *output layer* in the network, and optimize proxies of either the predictive or marginal log likelihood directly. Note that the classification likelihood is non-gaussian, and hence computing the exact posterior and marginal likelihoods of the model becomes intractable. Here, we go beyond this limitation and propose an internal *dense* GP model of the support features, where the posterior predictive distribution is used as input to a CNN decoder. Moreover, this allows us to learn the output space of the GP to further increase its expressive power. To the best of our knowledge, we are the first to introduce a dense GP approach for the challenging dense prediction task of few-shot segmentation.

### 3 METHOD

#### 3.1 FEW-SHOT SEGMENTATION

Few-shot segmentation is a *dense* few-shot learning task (Shaban et al., 2017). The aim is to learn to segment objects from novel classes, given only a small set of annotated images. A single instance of this problem, referred to as an *episode*, comprises a small set of annotated samples, called the *support set*, and a set of samples on which prediction is to be made, the *query set*. Formally, we denote the support set as  $\{(I_{Sk}, M_{Sk})\}_{k=1}^K$ , comprising  $K$  image-mask pairs  $I_{Sk} \in \mathbb{R}^{H_0 \times W_0 \times 3}$  and  $M_{Sk} \in \{0, 1\}^{H_0 \times W_0}$ . A query image is denoted as  $I_Q \in \mathbb{R}^{H_0 \times W_0 \times 3}$  and the aim is to predict its corresponding segmentation mask  $M_Q \in \{0, 1\}^{H_0 \times W_0}$ .

To develop our approach, we first provide a general formulation for addressing the FSS problem, which applies to several recent methods, including prototype-based (Li et al., 2021; Liu et al., 2020a)



and correlation-based (Tian et al., 2020; Wang et al., 2020) ones. Our formulation proceeds in three steps: feature extraction, few-shot learning, and prediction. In the first step, deep features are extracted from the given images,

$$\mathbf{x} = F(I) \in \mathbb{R}^{H \times W \times D} . \quad (1)$$

These features provide a more disentangled and invariant representation, which greatly aids the problem of learning from a limited number of samples.

The main challenge in FSS, namely how to most effectively leverage the annotated support samples, is encapsulated in the second step. As a general approach, we consider a learner module  $\Lambda$  that employs the support set in order to find a function  $f$ , which associates each query feature  $x_Q \in \mathbb{R}^D$  with an *output*  $y_Q \in \mathbb{R}^E$ . The goal is to achieve an output  $y_Q$  that is strongly correlated with the ground-truth query mask, allowing it to act as a strong cue in the final prediction. Formally, we express this general formulation as,

$$f = \Lambda(\{\mathbf{x}_{S_k}, \mathbf{M}_{S_k}\}_k), \quad y_Q = f(x_Q) . \quad (2)$$

The learner  $\Lambda$  aggregates information in the support set  $\{\mathbf{x}_{S_k}, \mathbf{M}_{S_k}\}_k$  in order to predict the function  $f$ . This function is then applied to query features equation 2. In the final step of our formulation, output from the function  $f$  on the query set is finally decoded by a separate network as  $\widehat{M}_Q = U(y_Q, \mathbf{x}_Q)$  to predict the segmentation  $\widehat{M}_Q$ .

The general formulation in equation 2 encapsulates several recent approaches for few-shot segmentation. In particular, prototype-based methods, for instance PANet (Wang et al., 2019), are retrieved by letting  $\Lambda$  represent a mask-pooling operation. The function  $f$  thus computes the cosine-similarity between the pooled feature vector and the input query features. In general, the design of the learner  $\Lambda$  represents the central problem in few-shot segmentation, since it is the module that extracts information from the support set. Next, we distinguish three key desirable properties of this module.

### 3.2 MOTIVATION

As discussed above, the core component in few-shot segmentation is the few-shot learner  $\Lambda$ . Much research effort has therefore been diverted into its design (Nguyen & Todorovic, 2019; Liu et al., 2020a; Wang et al., 2020; Liu et al., 2020c; Yang et al., 2020a; Li et al., 2021). To motivate our approach, we first identify three important properties that the learner should possess.

**Flexibility of  $f$**  The intent in few-shot segmentation is to be able to segment a wide range of classes, unseen during training. The image feature distributions of different unseen classes are not necessarily linearly separable (Allen et al., 2019). Prototypical few-shot learners, which are essentially linear classifiers, would fail in such scenarios. Instead, we need a mechanism that can learn and represent more complex functions  $f$ .

**Scalability in support set size  $K$**  An FSS method should be able to effectively leverage additional support samples and therefore achieve substantially better accuracy and robustness for larger support sets. However, many prior works show little to no benefit in the 5-shot setting compared to 1-shot. As shown by Li et al. (2021) and Boudiaf et al. (2021), it is crucial that new information is effectively incorporated into the model without *averaging* out useful cues.

**Uncertainty Modeling** Since only a small number of support samples are available in FSS, the network needs to regularly handle unseen appearances in the query images. For instance, the query may include novel backgrounds, scenes, and objects. Since the function  $f$  predicted by the learner is not expected to generalize to such unseen scenarios, the network should instead utilize neighboring predictions or learned priors. However, this can only be achieved if  $f$  models and communicates the uncertainty of its prediction to the decoder.

### 3.3 DENSE GAUSSIAN PROCESS FEW-SHOT LEARNER

In this work, we propose a dense Gaussian Process (GP) learner for few-shot segmentation. As a few-shot learning component, the GP possesses all three properties identified in the previous section. It can represent flexible and highly non-linear functions by selecting an appropriate kernel. As a non-parametric model, it further effectively benefits from additional support samples since all given data

is retained. The GP explicitly models the uncertainty in the prediction by learning a probabilistic distribution over a space of functions. Furthermore, both the learning and inference steps of the GP are differentiable functions. While computational cost is a well-known challenge when deploying GPs, we demonstrate that even simple strategies can be used to keep the number of training samples at a tractable level for the FSS problem.

Our dense GP learner predicts a distribution of functions  $f$  from the input features  $x$  to an output  $y$ . Let  $\mathbf{x}_S \in \mathbb{R}^{KHW \times D}$  denote the matrix of all support image features and  $\mathbf{x}_Q \in \mathbb{R}^{HW \times D}$  the matrix retaining the query features. Let  $\mathbf{y}_S$  and  $\mathbf{y}_Q$  be the corresponding outputs. The former is obtained from the support masks and the latter is to be predicted with the GP. The key assumption in the Gaussian process is that the support and query outputs  $\mathbf{y}_S, \mathbf{y}_Q$  are jointly Gaussian according to,

$$\begin{pmatrix} \mathbf{y}_S \\ \mathbf{y}_Q \end{pmatrix} \sim \mathcal{N} \left( \begin{pmatrix} \boldsymbol{\mu}_S \\ \boldsymbol{\mu}_Q \end{pmatrix}, \begin{pmatrix} \mathbf{K}_{SS} & \mathbf{K}_{SQ} \\ \mathbf{K}_{SQ}^\top & \mathbf{K}_{QQ} \end{pmatrix} \right). \quad (3)$$

For simplicity, we set the output prior means,  $\boldsymbol{\mu}_S$  and  $\boldsymbol{\mu}_Q$ , to zero. The covariance matrix  $\mathbf{K}$  in equation 3 is defined by the input features at those points and a *kernel*  $\kappa : \mathbb{R}^D \times \mathbb{R}^D \rightarrow \mathbb{R}$ . In our experiments, we adopt the commonly used *squared exponential* (SE) kernel

$$\kappa(x^m, x^n) = \sigma_f^2 \exp\left(-\frac{1}{2\ell^2} \|x^m - x^n\|_2^2\right), \quad (4)$$

with scale parameter  $\sigma_f$  and length parameter  $\ell$ . The kernel can be viewed as a similarity measure. If two features are similar, then the corresponding outputs are correlated.

Next, the posterior probability distribution of the query outputs is inferred. The rules for conditioning in a joint Gaussian gives us (Rasmussen & Williams, 2006)

$$\mathbf{y}_Q | \mathbf{y}_S, \mathbf{x}_S, \mathbf{x}_Q \sim \mathcal{N}(\boldsymbol{\mu}_{Q|S}, \boldsymbol{\Sigma}_{Q|S}), \quad (5)$$

where

$$\boldsymbol{\mu}_{Q|S} = \mathbf{K}_{SQ}^\top (\mathbf{K}_{SS} + \sigma_y^2 \mathbf{I})^{-1} \mathbf{y}_S, \quad (6)$$

$$\boldsymbol{\Sigma}_{Q|S} = \mathbf{K}_{QQ} - \mathbf{K}_{SQ}^\top (\mathbf{K}_{SS} + \sigma_y^2 \mathbf{I})^{-1} \mathbf{K}_{SQ}. \quad (7)$$

The measurements  $\mathbf{y}_S$  are assumed to have been obtained with some additive i.i.d. Gaussian noise with variance  $\sigma_y^2$ . This corresponds to adding a scaled identity matrix  $\sigma_y^2 \mathbf{I}$  to the support covariance matrix  $\mathbf{K}_{SS}$ . The equations 4-7 thus predict the distribution of the query outputs, represented by the mean value and the covariance. Note that the asymptotic complexity is  $\mathcal{O}((KWH)^3)$ . We therefore need to work on a sufficiently low resolution. Next, we introduce a way to incorporate more information into the predicted outputs while maintaining a low resolution.

### 3.4 LEARNING THE GP OUTPUT SPACE

The decoder strives to transform the query outputs predicted by the few-shot learner into an accurate mask. This is a challenging task given the low resolution and the desire to generalize to classes unseen during offline training. We therefore explore whether additional information can be encoded into the outputs,  $\mathbf{y}_Q$ , in order to guide the decoder. This information could for instance include the shape of the mask or which of the object's parts is at a given location. To this end, we train a mask-encoder to construct the outputs,

$$\mathbf{y}_{Sk} = G(M_{Sk}). \quad (8)$$

Here,  $G$  is a neural network with learnable parameters.

The aforementioned formulation allows us to learn the GP output space during the meta-training stage. To the best of our knowledge, this has not previously been explored in the context of GPs. There is some reminiscence to the attention mechanism in transformers (Vaswani et al., 2017). The transformer queries, keys, and values correspond to our query features  $\mathbf{x}_Q$ , support features  $\mathbf{x}_S$ , and support outputs  $\mathbf{y}_S$ . A difference is that in few-shot segmentation, there is a distinction between the features used for matching and the output - the features stem from the image whereas the output stems from the mask.

As mask encoder  $G$ , we employ a lightweight residual convolutional neural network. The network predicts multi-dimensional outputs for the support masks that are then reshaped into  $\mathbf{y}_S \in \mathbb{R}^{KHW \times E}$ . These are fed into equation 6 when the posterior probability distribution of the query outputs is inferred. The two matrix-vector multiplications are transformed into matrix-matrix multiplications and the result  $\boldsymbol{\mu}_{Q|S} \in \mathbb{R}^{HW \times E}$  is a matrix containing the multi-dimensional mean. The covariance in equation 7 is kept unchanged. This setup corresponds to the assumption that the covariance is isotropic over the output feature channels and that the different output feature channels are independent.

### 3.5 FINAL MASK PREDICTION

Next, we decode the predicted distributions of the query outputs in order to predict the final mask. Since the output of the GP is richer, including uncertainty and covariance information, we first need to consider what information to give to the final decoder network. We employ the following output features from the GP.

**GP output mean** The multi-dimensional mean  $\boldsymbol{\mu}_{Q|S}$  represents the best guess of  $\mathbf{y}_Q$ . Ideally, it contains a representation of the mask  $M_Q$  to be predicted. The decoder works on 2D feature maps and  $\boldsymbol{\mu}_{Q|S}$  is therefore reshaped as  $\mathbf{z}_\mu \in \mathbb{R}^{H \times W \times E}$ .

**GP output covariance** The covariance  $\Sigma_{Q|S}$  captures both the uncertainty in the predicted query output  $\mathbf{y}_Q$  and the correlation between different query outputs. The former lets the decoder network to identify uncertain regions in the image, and instead rely on, e.g., learnt priors or neighbouring predictions. Moreover, local correlations can tell whether two locations of the image are similar. For each query output, we employ the covariance between it and each of its spatial neighbours in an  $N \times N$  region. We represent it as a 2D feature map  $\mathbf{z}_\Sigma \in \mathbb{R}^{H \times W \times (N^2)}$  by vectorizing the  $N^2$  covariance values in the  $N \times N$  neighborhood. For more details, see Appendix E.

**Shallow image features** Shallow image features, extracted from early layers of deep neural networks, are of high resolution and permit precise localization of object boundaries (Bhat et al., 2018). We therefore store feature maps extracted from earlier layers of  $F$  and feed them into the decoder. These serve to guide the decoder as it transforms the low-resolution output mean into a precise, high-resolution mask.

We finally predict the query mask by feeding the above information into a decoder  $U$ ,

$$\widehat{M}_Q = U(\mathbf{z}_\mu, \mathbf{z}_\sigma, \mathbf{z}_\Sigma, \mathbf{x}_{Q, \text{shallow}}) . \quad (9)$$

As a decoder  $U$ , we adopt DFN (Yu et al., 2018). DFN processes its input at one scale at a time, starting with the coarsest scale. In our case, this is the mean and covariance. At each scale, the result at the previous scale is upsampled and processed together with any input at that scale. After processing the finest scaled input, the result is upsampled to the mask scale and classified with a linear layer and a softmax function.

### 3.6 FSS LEARNER PYRAMID

Many computer vision tasks benefit from processing at multiple scales or multiple feature levels. While deep, high-level features directly capture the presence of objects or semantic classes, the mid-level features capture object parts Tian et al. (2020). In semantic segmentation, methods begin with high-level features and then successively adds mid-level features while upsampling (Long et al., 2015). In object detection, a detection head is applied to each level in a feature pyramid (Lin et al., 2017). Tian et al. (2020) discusses and demonstrates the benefit of using both mid-level and high-level features for few-shot segmentation. We therefore adapt our framework to be able to process features at different levels.

We take features from our image encoder  $F$  extracted at multiple levels  $A$ . Let the support and query features at level  $a \in A$  be denoted as  $\mathbf{x}_S^a$  and  $\mathbf{x}_Q^a$ . From the mask encoder  $G$  we extract corresponding support outputs  $\mathbf{y}_S^a$ . We then introduce a few-shot learner  $\Lambda^a$  for each level  $a$ . For efficient inference, the support features and outputs are sampled on a grid such that the total stride compared to the original image is 32. The query features retain their resolution. Each few-shot learner then infers a posterior distribution over the query outputs  $\mathbf{y}_Q^a$ , parameterized by  $\boldsymbol{\mu}_{Q|S}^a$  and  $\Sigma_{Q|S}^a$ . These are then fed into the decoder, which processes them one scale at a time.

## 4 EXPERIMENTS

We validate our proposed approach by conducting comprehensive experiments on two FSS benchmarks: PASCAL-5<sup>i</sup> (Shaban et al., 2017) and COCO-20<sup>i</sup> (Nguyen & Todorovic, 2019).

### 4.1 EXPERIMENTAL SETUP

**Datasets** We conduct experiments on the PASCAL-5<sup>i</sup> (Shaban et al., 2017) and COCO-20<sup>i</sup> (Nguyen & Todorovic, 2019) benchmarks. PASCAL-5<sup>i</sup> is composed of PASCAL VOC 2012 (Everingham et al., 2010) with additional SBD (Hariharan et al., 2011) annotations. The dataset comprises 20 categories split into 4 folds. For each fold, 15 categories are used for training and the remaining 5 for testing. COCO-20<sup>i</sup> (Nguyen & Todorovic, 2019) is more challenging and is built from MS-COCO (Lin et al., 2014). Similar to PASCAL-5<sup>i</sup>, COCO-20<sup>i</sup> benchmark is split into 4 folds. For each fold, 60 base classes are used for training and the remaining 20 for testing.

**Implementation Details** Following previous works, we employ ResNet-50 and ResNet-101 (He et al., 2016) backbones pre-trained on ImageNet (Russakovsky et al., 2015) as image encoders. We let the dense GP work with feature maps produced by the third and the fourth residual module. In addition, we place a single convolutional projection layer that reduces the feature map down to 512 dimensions. As mask encoder, we use a light-weight CNN (see Appendix E). We use  $\sigma_y^2 = 0.1$ ,  $\sigma_f^2 = 1$ , and  $\ell^2 = \sqrt{D}$  in our GP. We train our models for 20k and 40k iterations à 8 episodes for PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup>, respectively. On one NVIDIA A100 GPU, this takes up to 10 hours. We use the AdamW (Kingma & Ba, 2015; Loshchilov & Hutter, 2019) optimizer with a weight decay factor of  $10^{-3}$  and a cross-entropy loss with 1-4 background-foreground weighting. We use a learning rate of  $5 \cdot 10^{-5}$  for all parameters save for the image encoder, which uses a learning rate of  $10^{-6}$ . The learning rate is decayed with a factor of 0.1 when 10k iterations remain. We freeze the batch normalization layers of the image encoder. Episodes are sampled in the same way as we evaluate. We randomly flip images horizontally followed by resizing to a size of  $384 \times 384$  for PASCAL-5<sup>i</sup> and  $512 \times 512$  for COCO-20<sup>i</sup>. Well-documented code will be made publicly available.

**Evaluation** We evaluate our approach on each fold by randomly sampling 5k and 20k episodes respectively, for PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup>. This follows the work of Tian et al. (2020) in which it is observed that the procedure employed by many prior works, using only 1000 episodes, yields fairly high variance. Additionally, following Wang et al. (2019); Liu et al. (2020c); Boudiaf et al. (2021); Zhang et al. (2021), our results in the state-of-the-art comparison are computed as the average of 5 runs with different seeds. We also report the standard deviation. Performance is measured in terms of mean Intersection over Union (mIoU). First, the IoU is calculated per class over all episodes in a fold. The mIoU is then obtained by averaging the IoU over the classes. As in the original work on FSS by Shaban et al. (2017), we calculate the IoU on the original resolution of the images.

### 4.2 STATE-OF-THE-ART COMPARISON

We compare our proposed DGPNet with existing FSS approaches on PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup> benchmarks. Table 1 presents the state-of-the-art comparison on both benchmarks. Following prior works, we report results given a single support example, *1-shot*, and given five support examples, *5-shot*. Our proposed DGPNet sets a new state-of-the-art on *both* benchmarks. Among the previous approaches, SAGNN (Xie et al., 2021) achieves mIoU scores of 62.1 and 62.8 for 1-shot and 5-shot segmentation, respectively on PASCAL-5<sup>i</sup> using ResNet50. RePri (Boudiaf et al., 2021) obtains mIoU scores of 59.1 and 66.8 for 1-shot and 5-shot segmentation, respectively. Our DGPNet achieves superior performance with mIoU scores of 63.5 and 73.5 for 1-shot and 5-shot segmentation, respectively. When using the ResNet101 backbone, PFENet (Tian et al., 2020) achieves the best 1-shot segmentation performance of 60.1 among existing methods. Our DGPNet outperforms PFENet (Tian et al., 2020) by achieving mIoU score of 64.8. Similarly, our DGPNet significantly outperforms the best reported 5-shot results in literature (65.6 by RePri (Boudiaf et al., 2021)), with an absolute gain of 9.8.

On the challenging COCO-20<sup>i</sup> benchmark, DENet (Liu et al., 2020a) obtains mIoU scores of 42.8 and 43.0 for 1-shot and 5-shot segmentation, respectively using ReNet50. Our DGPNet outperforms DENet (Liu et al., 2020a), achieving mIoU scores of 45.0 and 56.2 for 1-shot and 5-shot

Table 1: State-of-the-art comparison on PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup> benchmark in terms of mIoU (higher is better). In each case, the best two results are shown in magenta and cyan font, respectively. Asterisk \* denotes re-implementation by Liu et al. (2020a). Our DGPNet achieves state-of-the-art results for 1-shot and 5-shot on both benchmarks. When using ResNet101, our DGPNet achieves absolute gains of 8.2 and 15.2 for 1-shot and 5-shot segmentation, respectively on the challenging COCO-20<sup>i</sup> benchmark, compared to the best reported results in the literature.

Backbone	Method	PASCAL-5 <sup>i</sup>		COCO-20 <sup>i</sup>	
		1-shot	5-shot	1-shot	5-shot
ResNet50	CANet (Zhang et al., 2019b)	55.4	57.1	40.8*	42.0*
	PGNet (Zhang et al., 2019a)	56.0	58.5	36.7*	37.5*
	RPM (Yang et al., 2020a)	56.3	57.3	30.6	35.5
	CRNet (Liu et al., 2020b)	55.7	58.8	-	-
	DENet (Liu et al., 2020a)	60.1	60.5	42.8	43.0
	LTM (Yang et al., 2020b)	57.0	60.6	-	-
	PFENet (Tian et al., 2020)	60.8	61.9	-	-
	PPNet (Liu et al., 2020c)	51.5	62.0	25.7	36.2
	RePri (Boudiaf et al., 2021)	59.1	66.8	34.0	42.1
	SCL (Zhang et al., 2021)	61.8	62.9	-	-
	SAGNN (Xie et al., 2021)	62.1	62.8	-	-
	<b>DGPNet (Ours)</b>	<b>63.5 ± 0.4</b>	<b>73.5 ± 0.3</b>	<b>45.0 ± 0.4</b>	<b>56.2 ± 0.4</b>
ResNet101	FWB (Nguyen & Todorovic, 2019)	56.2	60.0	21.2	23.7
	DAN (Wang et al., 2020)	58.2	60.5	24.4	29.6
	PFENet (Tian et al., 2020)	60.1	61.4	38.5	42.7
	RePri (Boudiaf et al., 2021)	59.4	65.6	-	-
	VPI (Wang et al., 2021)	57.3	60.4	23.4	27.8
	ASGNet (Li et al., 2021)	59.3	64.4	34.6	42.5
	SCL (Zhang et al., 2021)	-	-	37.0	39.9
	SAGNN (Xie et al., 2021)	-	-	37.2	42.7
	<b>DGPNet (Ours)</b>	<b>64.8 ± 0.5</b>	<b>75.4 ± 0.4</b>	<b>46.7 ± 0.3</b>	<b>57.9 ± 0.3</b>

segmentation, respectively. When using ResNet101, DGPNet obtains absolute gains of 8.2 and 15.2 for 1-shot and 5-shot segmentation, respectively, compared to the best reported results in literature. Our per-fold results, including the standard deviation for each fold, are provided in appendix A.3. Qualitative examples are found in Figure 3 and Appendix F.

**Scaling Segmentation Performance with Increased Support Size** As discussed earlier, the FSS approach is desired to effectively leverage additional support samples, thereby achieving superior accuracy and robustness for larger shot-sizes. We therefore analyze the effectiveness of the proposed DGPNet by increasing the number of shots on PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup>. Figure 1 shows the results on the two benchmarks. We use the model trained for 5-shot for in all cases, except for 1-shot. Compared to most existing works, our DGPNet effectively benefits from additional support samples, achieving remarkable improvement in segmentation accuracy with larger support sizes.

**Cross-dataset Evaluation** In Table 2, we present the cross-dataset evaluation capabilities of our DGPNet from COCO-20<sup>i</sup> to PASCAL. For this cross-dataset evaluation experiment, we followed the same protocol as in Boudiaf et al. (2021), where the folds are constructed to ensure that there is no overlap with COCO-20<sup>i</sup> training folds. When using the same ResNet50 backbone, our approach obtains 1-shot and 5-shot mIoU of 68.9 and 77.5, respectively with absolute gains of 5.8 and 11.3 over RePRI (Boudiaf et al., 2021). Further, DGPNet achieves segmentation mIoU of 70.1 and 78.5 in 1-shot and 5-shot setting, respectively using ResNet101. For more details on the experiment, see Appendix A.1.

Table 2: Performance comparison (mIoU, higher is better), when performing cross-dataset evaluation from COCO-20<sup>i</sup> to PASCAL. When using the same ResNet50 backbone, our approach achieves significant improvements for both 1-shot and 5-shot settings, with absolute gains of 5.8 and 11.3 mIoU over RePRI (Boudiaf et al., 2021).

Method	1-Shot	5-Shot
RPM (Yang et al., 2020a)	49.6	53.8
PFENet (Tian et al., 2020)	61.1	63.4
RePRI (Boudiaf et al., 2021)	63.1	66.2
Ours, ResNet50	<b>68.9 ± 0.4</b>	<b>77.5 ± 0.2</b>
Ours, ResNet101	<b>70.1 ± 0.3</b>	<b>78.5 ± 0.3</b>



Figure 3: Qualitative 1-shot results of our approach on PASCAL-5<sup>i</sup> (left) and COCO-20<sup>i</sup> (right).

### 4.3 ABLATION STUDY

Here, we analyze the impact of the key components in our proposed architecture. We first investigate the choice of kernel,  $\kappa$ . Then, we analyze the impact of the predictive covariance provided by the GP and the benefits of learning the GP output space. Last, we experiment with dense GPs at multiple feature levels. All experiments in this section are conducted with the ResNet50 backbone. Detailed experiments are provided in the Appendix.

**Choice of Kernel** Going from a linear few-shot learner to a more flexible function requires an appropriate choice of kernel. We consider the *homogenous linear kernel* as our baseline. Note that the homogenous linear kernel is equivalent to Bayesian linear regression under appropriate priors (Rasmussen & Williams, 2006). To make our learner more flexible, we consider two additional choices of kernels, the *Exponential* and *Squared Exponential* (SE) kernels. The kernel equations are given in Appendix C. In Table 3, results on both the PASCAL and COCO benchmarks are presented. Both the Exponential and SE kernels greatly outperform the linear kernel, with the SE kernel leading to a significant gain of 5.5 in mIoU. These results show the benefit of a more flexible and scalable learner.

Table 3: Performance of different kernels on the PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup> benchmarks. Notably, both the Exponential and SE kernels significantly outperform the linear kernel, confirming the need for a flexible learner. Measured in mIoU (higher is better). Best results are in bold.

Kernel	PASCAL-5 <sup>i</sup>		COCO-20 <sup>i</sup>		$\Delta$
	1-shot	5-shot	1-shot	5-shot	
Linear	58.6	61.8	37.1	45.3	0.0
Exponential	59.3	67.3	40.9	<b>51.8</b>	4.1
SE	<b>62.1</b>	<b>69.9</b>	<b>41.7</b>	51.2	<b>5.5</b>

**Incorporating Uncertainty and Learning the GP Output Space** We adopt the SE kernel and analyze the performance of letting the decoder process the predictive covariance provided by the dense GP. With the covariance in a  $5 \times 5$  window, we obtain a gain of 1.7 mIoU. Then, we add the mask-encoder and learn the GP output space (GPO). This leads to a 1.7 improvement in isolation, or a 2.5 mIoU gain together with the covariance.

Table 4: Analysis of learning the GP output space (GPO) and incorporating covariance (Cov). Performance in mIoU (higher is better). Best results are in bold.

Cov	GPO	PASCAL-5 <sup>i</sup>		COCO-20 <sup>i</sup>		$\Delta$
		1-shot	5-shot	1-shot	5-shot	
		62.1	69.9	41.7	51.2	0.0
✓		<b>62.5</b>	71.8	43.8	53.7	1.7
	✓	61.7	<b>72.7</b>	43.1	54.2	1.7
✓	✓	<b>62.5</b>	<b>72.6</b>	<b>44.7</b>	<b>55.0</b>	<b>2.5</b>

**Multilevel Representations** Finally, we investigate the effect of introducing a multilevel hierarchy of dense GPs. Specifically we investigate using combinations of stride 16 and 32 features. The results are reported in Table 5. The results show the benefit of using dense GPs at different feature levels, leading to an average gains of 1.4 mIoU.

Table 5: Performance of different multilevel configurations of the dense GP few-shot learner on the PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup> benchmarks. Measured in mIoU (higher is better). Best results are in bold.

Stride 16	Stride 32	PASCAL-5 <sup>i</sup>		COCO-20 <sup>i</sup>		$\Delta$
		1-shot	5-shot	1-shot	5-shot	
	✓	62.5	72.6	44.7	55.0	0.0
✓		60.4	69.3	40.7	51.1	-3.9
✓	✓	<b>63.9</b>	<b>73.6</b>	<b>45.3</b>	<b>56.4</b>	<b>1.4</b>

## 5 CONCLUSION

We have proposed a few-shot learner based on Gaussian process regression for the few-shot segmentation task. The GP models the support set in deep feature space and its flexibility permits it to capture complex feature distributions. It makes probabilistic predictions on the query image, pro-

viding both a point estimate and additional uncertainty information. These predictions are fed into a CNN decoder that predicts the final segmentation. The resulting approach sets a new state-of-the-art on PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup>, with absolute improvements of up to 14.9 mIoU. Our approach scales well with larger support sets during inference, even when trained for a fixed number of shots.

**Acknowledgements** : This work was partially supported by the Wallenberg Artificial Intelligence, Autonomous Systems and Software Program (WASP) funded by Knut and Alice Wallenberg Foundation; ELLIIT; and the ETH Future Computing Laboratory (EFCL), financed by a donation from Huawei Technologies. The computations were enabled by resources provided by the Swedish National Infrastructure for Computing (SNIC), partially funded by the Swedish Research Council through grant agreement no. 2018-05973.

## REFERENCES

- Kelsey Allen, Evan Shelhamer, Hanul Shin, and Joshua Tenenbaum. Infinite mixture prototypes for few-shot learning. In *International Conference on Machine Learning*, pp. 232–241. PMLR, 2019.
- Reza Azad, Abdur R Fayjie, Claude Kauffmann, Ismail Ben Ayed, Marco Pedersoli, and Jose Dolz. On the texture bias for few-shot CNN segmentation. In *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision*, pp. 2674–2683, 2021.
- Goutam Bhat, Joakim Johnander, Martin Danelljan, Fahad Shahbaz Khan, and Michael Felsberg. Unveiling the power of deep tracking. In *Proceedings of the European Conference on Computer Vision (ECCV)*, pp. 483–498, 2018.
- Malik Boudiaf, Hoel Kervadec, Ziko Imtiaz Masud, Pablo Piantanida, Ismail Ben Ayed, and Jose Dolz. Few-shot segmentation without meta-learning: A good transductive inference is all you need? In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 13979–13988, 2021.
- Roberto Calandra, Jan Peters, Carl Edward Rasmussen, and Marc Peter Deisenroth. Manifold Gaussian Processes for regression. In *Proceedings of the International Joint Conference on Neural Networks*, 2016. ISBN 9781509006199. doi: 10.1109/IJCNN.2016.7727626.
- Nanqing Dong and Eric P. Xing. Few-shot semantic segmentation with prototype learning. In *British Machine Vision Conference 2018, BMVC 2018*, 2019.
- Mark Everingham, Luc Van Gool, Christopher K.I. Williams, John Winn, and Andrew Zisserman. The pascal visual object classes (VOC) challenge. *International Journal of Computer Vision*, 2010. ISSN 09205691. doi: 10.1007/s11263-009-0275-4.
- Bharath Hariharan, Pablo Arbeláez, Lubomir Bourdev, Subhransu Maji, and Jitendra Malik. Semantic contours from inverse detectors. In *Proceedings of the IEEE International Conference on Computer Vision*, 2011. ISBN 9781457711015. doi: 10.1109/ICCV.2011.6126343.
- Kaiming He, Xiangyu Zhang, Shaoqing Ren, and Jian Sun. Deep residual learning for image recognition. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 770–778, 2016.
- Tao Hu, Pengwan Yang, Chiliang Zhang, Gang Yu, Yadong Mu, and Cees GM Snoek. Attention-based multi-context guiding for few-shot semantic segmentation. In *Proceedings of the AAAI conference on artificial intelligence*, volume 33, pp. 8441–8448, 2019.
- Diederik P. Kingma and Jimmy Lei Ba. Adam: A method for stochastic optimization. In *3rd International Conference on Learning Representations, ICLR 2015 - Conference Track Proceedings*, 2015.
- Gen Li, Varun Jampani, Laura Sevilla-Lara, Deqing Sun, Jonghyun Kim, and Joongkyu Kim. Adaptive prototype learning and allocation for few-shot segmentation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 8334–8343, 2021.
- Tsung Yi Lin, Michael Maire, Serge Belongie, James Hays, Pietro Perona, Deva Ramanan, Piotr Dollár, and C. Lawrence Zitnick. Microsoft COCO: Common objects in context. In *European Conference on Computer Vision*, pp. 740–755. Springer, 2014. doi: 10.1007/978-3-319-10602-1\_48.
- Tsung-Yi Lin, Piotr Dollár, Ross Girshick, Kaiming He, Bharath Hariharan, and Serge Belongie. Feature pyramid networks for object detection. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 2117–2125, 2017.
- Lizhao Liu, Junyi Cao, Minqian Liu, Yong Guo, Qi Chen, and Minghui Tan. Dynamic Extension Nets for Few-shot Semantic Segmentation. pp. 1441–1449. Association for Computing Machinery (ACM), 2020a. doi: 10.1145/3394171.3413915.
- Weide Liu, Chi Zhang, Guosheng Lin, and Fayao Liu. CRNet: Cross-Reference Networks for Few-Shot Segmentation. In *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, pp. 4164–4172, 2020b. doi: 10.1109/CVPR42600.2020.00422.



- Yongfei Liu, Xiangyi Zhang, Songyang Zhang, and Xuming He. Part-Aware Prototype Network for Few-Shot Semantic Segmentation. In *European Conference on Computer Vision*, pp. 142—158, 2020c. ISBN 9783030585440. doi: 10.1007/978-3-030-58545-7\_9.
- Jonathan Long, Evan Shelhamer, and Trevor Darrell. Fully convolutional networks for semantic segmentation. In *Proceedings of the IEEE conference on computer vision and pattern recognition*, pp. 3431–3440, 2015.
- Ilya Loshchilov and Frank Hutter. Decoupled weight decay regularization. In *International Conference on Learning Representations*, 2019. URL <https://openreview.net/forum?id=Bkg6RiCqY7>.
- Khoi Nguyen and Sinisa Todorovic. Feature weighting and boosting for few-shot segmentation. In *Proceedings of the IEEE International Conference on Computer Vision*, volume 2019-Octob, pp. 622–631, 2019. ISBN 9781728148038. doi: 10.1109/ICCV.2019.00071.
- Massimiliano Patacchiola, Jack Turner, Elliot J. Crowley, and Amos Storkey. Bayesian meta-learning for the few-shot setting via deep kernels. In *Advances in Neural Information Processing Systems*, 2020.
- Kate Rakelly, Evan Shelhamer, Trevor Darrell, Alexei Efros, and Sergey Levine. Conditional networks for few-shot semantic segmentation. In *6th International Conference on Learning Representations, ICLR 2018 - Workshop Track Proceedings*, 2018.
- Carl Edward Rasmussen and Christopher K. I. Williams. *Gaussian Processes for Machine Learning*. 2006. doi: 10.7551/mitpress/3206.001.0001.
- Olga Russakovsky, Jia Deng, Hao Su, Jonathan Krause, Sanjeev Satheesh, Sean Ma, Zhiheng Huang, Andrej Karpathy, Aditya Khosla, Michael Bernstein, Alexander C. Berg, and Li Fei-Fei. ImageNet Large Scale Visual Recognition Challenge. *IJCV*, pp. 1–42, April 2015. doi: 10.1007/s11263-015-0816-y.
- Ruslan Salakhutdinov and Geoffrey Hinton. Using deep belief nets to learn covariance kernels for Gaussian processes. In *Advances in Neural Information Processing Systems 20 - Proceedings of the 2007 Conference*, 2009. ISBN 160560352X.
- Amirreza Shaban, Shray Bansal, Zhen Liu, Irfan Essa, and Byron Boots. One-shot learning for semantic segmentation. In *British Machine Vision Conference 2017, BMVC 2017*, 2017. ISBN 190172560X. doi: 10.5244/c.31.167.
- Mennatullah Siam, Boris Oreshkin, and Martin Jagersand. AMP: Adaptive masked proxies for few-shot segmentation. In *Proceedings of the IEEE International Conference on Computer Vision*, volume 2019-Octob, pp. 5248–5257, 2019. ISBN 9781728148038. doi: 10.1109/ICCV.2019.00535.
- Jake Snell and Richard Zemel. Bayesian few-shot classification with one-vs-each pólya-gamma augmented gaussian processes. In *International Conference on Learning Representations*, 2021. URL <https://openreview.net/forum?id=lgNx56yZh8a>.
- Zhuotao Tian, Hengshuang Zhao, Michelle Shu, Zhicheng Yang, Ruiyu Li, and Jiaya Jia. Prior Guided Feature Enrichment Network for few-shot segmentation. *IEEE Transactions on Pattern Analysis & Machine Intelligence*, 2020. ISSN 23318422. doi: 10.1109/tpami.2020.3013717.
- Ashish Vaswani, Noam Shazeer, Niki Parmar, Jakob Uszkoreit, Llion Jones, Aidan N Gomez, Łukasz Kaiser, and Illia Polosukhin. Attention is all you need. In *Advances in neural information processing systems*, pp. 5998–6008, 2017.
- Haochen Wang, Xudong Zhang, Yutao Hu, Yandan Yang, Xianbin Cao, and Xiantong Zhen. Few-Shot Semantic Segmentation with Democratic Attention Networks. In *European Conference on Computer Vision*, pp. 730–746, 2020. ISBN 9783030586003. doi: 10.1007/978-3-030-58601-0\_43.

- Haochen Wang, Yandan Yang, Xianbin Cao, Xiantong Zhen, Cees Snoek, and Ling Shao. Variational prototype inference for few-shot semantic segmentation. In *Proceedings of the IEEE/CVF Winter Conference on Applications of Computer Vision*, pp. 525–534, 2021.
- Kaixin Wang, Jun Hao Liew, Yingtian Zou, Daquan Zhou, and Jiashi Feng. PANet: Few-shot image semantic segmentation with prototype alignment. In *Proceedings of the IEEE International Conference on Computer Vision*, volume 2019-Octob, pp. 9196–9205, 2019. ISBN 9781728148038. doi: 10.1109/ICCV.2019.00929.
- Andrew Gordon Wilson, Zhiting Hu, Ruslan Salakhutdinov, and Eric P. Xing. Deep kernel learning. In *Proceedings of the 19th International Conference on Artificial Intelligence and Statistics, AISTATS 2016*, 2016.
- Guo-Sen Xie, Jie Liu, Huan Xiong, and Ling Shao. Scale-aware graph neural network for few-shot semantic segmentation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 5475–5484, 2021.
- Boyu Yang, Chang Liu, Bohao Li, Jianbin Jiao, and Qixiang Ye. Prototype Mixture Models for Few-Shot Semantic Segmentation. In *European Conference on Computer Vision*, pp. 763–778. Springer, 2020a.
- Yuwei Yang, Fanman Meng, Hongliang Li, Qingbo Wu, Xiaolong Xu, and Shuai Chen. A new local transformation module for few-shot segmentation. In *International Conference on Multimedia Modeling*, pp. 76–87. Springer, 2020b.
- Changqian Yu, Jingbo Wang, Chao Peng, Changxin Gao, Gang Yu, and Nong Sang. Learning a Discriminative Feature Network for Semantic Segmentation. In *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 2018. ISBN 9781538664209. doi: 10.1109/CVPR.2018.00199.
- Bingfeng Zhang, Jimin Xiao, and Terry Qin. Self-guided and cross-guided learning for few-shot segmentation. In *Proceedings of the IEEE/CVF Conference on Computer Vision and Pattern Recognition*, pp. 8312–8321, 2021.
- Chi Zhang, Guosheng Lin, Fayao Liu, Jiushuang Guo, Qingyao Wu, and Rui Yao. Pyramid graph networks with connection attentions for region-based one-shot semantic segmentation. In *Proceedings of the IEEE International Conference on Computer Vision*, volume 2019-Octob, pp. 9586–9594, 2019a. ISBN 9781728148038. doi: 10.1109/ICCV.2019.00968.
- Chi Zhang, Guosheng Lin, Fayao Liu, Rui Yao, and Chunhua Shen. CANET: Class-agnostic segmentation networks with iterative refinement and attentive few-shot learning. In *Proceedings of the IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, 2019b. ISBN 9781728132938. doi: 10.1109/CVPR.2019.00536.
- Xiaolin Zhang, Yunchao Wei, Yi Yang, and Thomas S Huang. Sg-one: Similarity guidance network for one-shot semantic segmentation. *IEEE Transactions on Cybernetics*, 50(9):3855–3865, 2020.

## SUPPLEMENTARY MATERIAL

We first provide additional results in Appendix A. Then, in Appendix B we provide analyses of the covariance neighborhood size and the effect of training the image encoder. The equations for the different kernels used in our ablation study are shown in Appendix C. In Appendix D, we list the runtimes of the different components in our approach. Appendix E contains pseudo-code for our dense GP, a list detailing the trainable layers of our approach, and the details on how the output of the GP is presented to the decoder. Finally, in Appendix F, we provide a qualitative comparison and qualitative results.

### A ADDITIONAL RESULTS

We provide the per-fold results on the COCO-20<sup>i</sup> to PASCAL transfer experiment and a list of the classes included; the per-shot results used to generate Figure 1 in the main paper; and the per-fold results used in the state-of-the-art comparison.

#### A.1 CROSS-DATASET EVALUATION

We supply additional details on the cross-dataset evaluation experiment. This experiment was proposed by Boudiaf et al. (2021) and we follow their setup. First, our approach is trained on each of the four folds of COCO-20<sup>i</sup>. Next, we test each of the four versions on PASCAL, using only the classes held-out during training. We list the classes of each fold in Table 7. The full per-fold results are presented in Table 6.

Table 6: The results of our approach in a COCO-20<sup>i</sup> to PASCAL transfer experiment (mIoU, higher is better). Following Boudiaf et al. (2021), the approach is trained on a fold of COCO-20<sup>i</sup> training set and tested on the PASCAL validation set. The testing folds are constructed to include classes not present in the training set, and thus not the same as PASCAL-5<sup>i</sup>.

Method	1-Shot					5-Shot				
	F-0	F-1	F-2	F-3	Mean	F-0	F-1	F-2	F-3	Mean
RPMM (Yang et al., 2020a)	36.3	55.0	52.5	54.6	49.6	40.2	58.0	55.2	61.8	53.8
PFEENet (Tian et al., 2020)	43.2	65.1	66.5	69.7	61.1	45.1	66.8	68.5	73.1	63.4
RePRI (Boudiaf et al., 2021)	52.8	64.0	64.1	71.5	63.1	57.7	66.1	67.6	73.1	66.2
Ours, ResNet50	55.1 ± 0.8	71.0 ± 0.4	69.2 ± 0.9	80.3 ± 0.8	68.9 ± 0.4	70.3 ± 0.9	75.3 ± 0.4	78.5 ± 0.7	85.8 ± 0.4	77.5 ± 0.2
Ours, ResNet101	55.1 ± 0.4	72.2 ± 0.3	70.7 ± 0.8	82.3 ± 0.8	70.1 ± 0.3	70.7 ± 0.7	75.6 ± 0.6	80.2 ± 0.1	87.3 ± 0.3	78.5 ± 0.3

Table 7: The classes used for testing in the COCO-20<sup>i</sup> to PASCAL transfer experiment, as proposed by Boudiaf et al. (2021). This split is different from that of PASCAL-5<sup>i</sup> in order to avoid overlap between the training and testing classes.

Fold-0	Fold-1	Fold-2	Fold-3
Airplane, Boat, Chair, Dining Table, Dog, Person	Bicycle, Bus, Horse, Sofa	Bird, Car, Potted Plant, Sheep, Train, TV-monitor	Bottle, Cat, Cow, Motorcycle

#### A.2 1-10 SHOT RESULTS

Here, we provide the full results from 1-10 shots, which was used to generate Figure 1. In Table 8 and 9 our results on PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup> are presented. Note that our approach was trained for 1 shot in the 1-shot setting, and 5 shots in the other nine settings.

Table 8: 1 to 10 -shot PASCAL-5<sup>i</sup> results.

	1-shot	2-shot	3-shot	4-shot	5-shot	6-shot	7-shot	8-shot	9-shot	10-shot
DGPNNet (ResNet101)	64.8 ± 0.5	68.4 ± 0.5	72.4 ± 0.3	74.2 ± 0.5	75.4 ± 0.4	76.1 ± 0.4	76.6 ± 0.4	77.0 ± 0.4	77.5 ± 0.4	77.7 ± 0.4

Table 9: 1 to 10 -shot COCO-20<sup>i</sup> results.

	1-shot	2-shot	3-shot	4-shot	5-shot	6-shot	7-shot	8-shot	9-shot	10-shot
DGPNNet (ResNet101)	46.8 ± 0.3	51.7 ± 0.2	55.0 ± 0.2	56.7 ± 0.3	57.9 ± 0.3	58.7 ± 0.2	59.2 ± 0.3	59.7 ± 0.3	60.0 ± 0.3	60.2 ± 0.2

### A.3 PER-FOLD RESULTS

In this section, we provide the full results for our state-of-the-art comparison. In Tables 10 and 11 the per-fold results for both ResNet50 and ResNet101 are presented. In general our results are stable for all folds.

Table 10: Per-fold results on PASCAL-5<sup>i</sup>

Method	1-Shot					5-Shot				
	5 <sup>0</sup>	5 <sup>1</sup>	5 <sup>2</sup>	5 <sup>3</sup>	Mean	5 <sup>0</sup>	5 <sup>1</sup>	5 <sup>2</sup>	5 <sup>3</sup>	Mean
CANet (ResNet50)	52.5	65.9	51.3	51.9	55.4	55.5	67.8	51.9	53.2	57.1
DENet (ResNet50)	55.7	69.7	63.6	51.3	60.1	54.7	71.0	64.5	51.6	60.5
PFENet (ResNet50)	61.7	69.5	55.4	56.3	60.8	63.1	70.7	55.8	57.9	61.9
RePri (ResNet50)	60.2	67.0	61.7	47.5	59.1	64.5	70.8	71.7	60.3	66.8
ASGNet (ResNet101)	59.8	67.4	55.6	54.4	59.3	64.6	71.3	64.2	57.3	64.4
SCL (ResNet50)	63.0	70.0	56.5	57.7	61.8	64.5	70.9	57.3	58.7	62.9
SAGNN (ResNet50)	64.7	69.6	57.0	57.2	62.1	64.9	70.0	57.0	59.3	62.8
DGPNNet (ResNet50)	63.5 ± 0.9	71.1 ± 0.5	58.2 ± 1.6	61.2 ± 0.7	63.5 ± 0.4	72.4 ± 0.8	76.9 ± 0.2	73.2 ± 0.9	71.7 ± 0.4	73.5 ± 0.3
DGPNNet (ResNet101)	63.9 ± 1.2	71.0 ± 0.5	63.0 ± 0.6	61.4 ± 0.6	64.8 ± 0.5	74.1 ± 0.6	77.4 ± 0.6	76.7 ± 0.9	73.4 ± 0.6	75.4 ± 0.4

Table 11: Per-fold results on COCO-20<sup>i</sup>

Method	1-Shot					5-Shot				
	20 <sup>0</sup>	20 <sup>1</sup>	20 <sup>2</sup>	20 <sup>3</sup>	Mean	20 <sup>0</sup>	20 <sup>1</sup>	20 <sup>2</sup>	20 <sup>3</sup>	Mean
DENet (ResNet50)	42.9	45.8	42.2	40.2	42.8	45.4	44.9	41.6	40.3	43.0
PFENet (ResNet50)	36.8	41.8	38.7	36.7	38.5	40.4	46.8	43.2	40.5	42.7
RePri (ResNet50)	31.2	38.1	33.3	33.0	34.0	38.5	46.2	40.0	43.6	42.1
ASGNet (ResNet50)	-	-	-	-	34.6	-	-	-	-	42.5
SCL (ResNet101)	36.4	38.6	37.5	35.4	37.0	38.9	40.5	41.5	38.7	39.9
SAGNN (ResNet101)	36.1	41.0	38.2	33.5	37.2	40.9	48.3	42.6	38.9	42.7
DGPNNet (ResNet50)	43.6 ± 0.5	47.8 ± 0.8	44.5 ± 0.8	44.2 ± 0.6	45.0 ± 0.4	54.7 ± 0.7	59.1 ± 0.5	56.8 ± 0.6	54.4 ± 0.6	56.2 ± 0.4
DGPNNet (ResNet101)	45.1 ± 0.5	49.5 ± 0.8	46.6 ± 0.8	45.6 ± 0.3	46.7 ± 0.3	56.8 ± 0.8	60.4 ± 0.9	58.4 ± 0.4	55.9 ± 0.4	57.9 ± 0.3

## B DETAILED ANALYSIS

We present results from two additional experiments. First, the size of the local covariance region is analyzed. Then, we investigate the impact of freezing the backbone during episodic training.

### B.1 ADDITIONAL COVARIANCE NEIGHBORHOOD EXPERIMENTS

In section 3.5 we show how the covariance with neighbors in a local region is fed to the decoder. In Table 12, we supply additional results with different sized windows. We experiment with  $N \in \{1, 3, 5, 7\}$ . Larger windows improve the results but the improvement seems to saturate after  $N = 5$ .

Table 12: Performance for different configurations of covariance windows on the PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup> benchmarks. Measured in mIoU (higher is better).

	1x1	3x3	5x5	7x7	PASCAL-5 <sup>i</sup>		COCO-20 <sup>i</sup>		$\Delta$
					1-shot	5-shot	1-shot	5-shot	
					62.1	69.9	41.7	51.2	0.0
✓					60.0	70.3	42.2	51.7	-0.2
		✓			62.0	71.1	43.6	53.0	1.2
			✓		62.5	<b>71.8</b>	<b>43.8</b>	<b>53.7</b>	<b>1.7</b>
				✓	<b>63.0</b>	<b>71.7</b>	<b>43.7</b>	<b>53.5</b>	<b>1.8</b>

### B.2 EFFECT OF TRAINING THE IMAGE ENCODER

In Table 13 we compare our final approach trained with a frozen and unfrozen backbone. Several prior works found it beneficial to freeze the image encoder during episodic training. In contrast, we find it beneficial to not freeze it and keep learning visual representations. By differentiating through our GP learner during episodic training, the proposed method can thus refine the underlying feature representations, which is another important advantage of our approach. However, our approach still improves upon state-of-the-art when employing a frozen backbone.

## C KERNEL DETAILS

In this section we provide the definitions of the kernels used in our ablation study. First we define the homogenous linear kernel as,

$$\kappa_{\text{lin}}(x, y) = x^T y \text{ .}$$

Table 13: Comparison between freezing the backbone and fine-tuning it with a low learning rate.

Backbone	Method	PASCAL-5 <sup>i</sup>		COCO-20 <sup>i</sup>	
		1-shot	5-shot	1-shot	5-shot
ResNet50	DGPNet (Frozen Backbone)	61.9 $\pm$ 0.3	72.4 $\pm$ 0.3	43.1 $\pm$ 0.3	54.5 $\pm$ 0.2
	<b>DGPNet (Ours)</b>	<b>63.5 <math>\pm</math> 0.4</b>	<b>73.5 <math>\pm</math> 0.3</b>	<b>45.0 <math>\pm</math> 0.4</b>	<b>56.2 <math>\pm</math> 0.4</b>
ResNet101	DGPNet (Frozen Backbone)	63.4 $\pm$ 0.5	74.3 $\pm$ 0.3	44.6 $\pm$ 0.5	56.6 $\pm$ 0.3
	<b>DGPNet (Ours)</b>	<b>64.8 <math>\pm</math> 0.5</b>	<b>75.4 <math>\pm</math> 0.4</b>	<b>46.7 <math>\pm</math> 0.3</b>	<b>57.9 <math>\pm</math> 0.3</b>

Table 14: Runtimes of the different functions in our approach, measured in milliseconds (ms). Timings are measured in evaluation mode on  $512 \times 512$  sized images from COCO-20<sup>i</sup>.

	Batch size 1		Batch size 20	
	1-shot	5-shot	1-shot	5-shot
Image encoder on support	15.5	23.4	48.5	197.5
Mask encoder on support	2.1	2.1	1.6	6.6
GP preparation on support	8.3	13.9	7.2	113.5
Image encoder on query	9.7	13.6	39.8	39.9
GP inference on query	7.9	9.4	12.1	38.1
Decoder	6.2	6.9	40.0	40.5
Total	49.7 ms	69.3 ms	149.2 ms	436.1 ms

As was noted in the paper, this kernel corresponds to Bayesian Linear Regression with a specific prior. One could also consider learning a bias parameter, however we chose not to learn such parameters for reasons of method simplicity. Next we consider the exponential kernel,

$$\kappa_{\text{exp}}(x, y) = \exp\left(-\frac{\|x - y\|_2}{\ell}\right).$$

This kernel behaves similarly as the SE kernel, however with a sharper peak and slower rate of decay. For completeness we additionally define the SE kernel here again,

$$\kappa_{\text{SE}}(x, y) = \exp\left(-\frac{\|x - y\|_2^2}{2\ell^2}\right).$$

We chose the length of the exponential kernel as  $\ell = \sqrt{D}$  and the squared exponential kernel as  $\ell^2 = \sqrt{D}$ , we found the performance in general to be robust to different values of  $\ell$ . Note that we used the same value of  $\ell$  for both benchmarks and for all number of shots.

## D RUNTIMES

We show the runtime of our method in Table 14. We partition the timing into different parts. The Gaussian process (GP) is split into two. One part preparing and decomposing the support set matrix in equation 6 and equation 7 of the main paper, and another part computing the mean and covariance of the query given the pre-computed matrix decomposition.

The timings are measured in the 1-shot and 5-shot settings on images from COCO-20<sup>i</sup> of  $512 \times 512$  resolution, using either a single episode per forward or a batch of 20 episodes in parallel. We run the method in evaluation mode via `torch.no_grad()`. Timing is measured by injecting cuda events around function calls and measuring the elapsed time between them. The events are inserted via `torch.cuda.Event(enable_timing=True)`. We run our approach on a single NVIDIA V100 for 1000 episodes and report the average timings of each part.

## E ADDITIONAL IMPLEMENTATION DETAILS

We provide code for the Gaussian Process inference, the neural network layers that make up the modules used in our approach, and the details of how the predictive output distribution from the GP is fed to the decoder.

## E.1 CODE FOR GAUSSIAN PROCESS

Pseudo-code for the dense GP is shown in Listing 1. Equation 7 involves the multiplication with a matrix inverse. It is in practice computed via the Cholesky decomposition and solving the resulting systems of linear equations. For brevity and clarity, we omit device casting and simplify the solve implementation. In practice, we use the standard triangular solver in PyTorch, `torch.triangular_solve`.

```

1 def GP(x_q, y_s, x_s, sigma_y, kernel):
2     """ Produces the predictive posterior distribution of the GP.
3     After each line, we comment the shape of the output, with sizes
4     defined as:
5     B is the batch-size
6     Q is the number of query feature vectors in the query image
7     S is the number of support feature vectors across the support images
8     M is the number of channels in the GP output space
9     D is the number of channels in the feature vectors.
10
11     Args:
12     x_q: deep query features (B,Q,D)
13     y_s: support outputs (B,S,M)
14     x_s: deep support features (B,S,D)
15     sigma_y: mask standard deviation
16     kernel: the kernel function,
17     """
18     B, S, D = x_s.shape
19     I = torch.eye(S)
20     K_ss = kernel(x_s, x_s) # (B,S,S)
21     K_qq = kernel(x_q, x_q) # (B,Q,Q)
22     K_sq = kernel(x_s, x_q) # (B,Q,S)
23     L_ss = torch.cholesky(K_ss + sigma_y**2 * I) # (B,S,S)
24     mu_q = (K_sq.T @ solve(L_ss.T, solve(L_ss, y_s))) # (B,Q,M)
25     v = solve(L_ss, K_sq) # (B,S,Q)
26     cov_q = K_qq - v.T @ v # (B,Q,Q)
27     return mu_q, cov_q

```

Listing 1: PyTorch implementation of the Gaussian Process utilized in the proposed approach. Here, the learning and inference is combined in a single step. The `@` operator denotes matrix multiplication and `solve` the solving of a linear system of equations. The `.T` is the batched matrix transpose.

## E.2 TRAINABLE LAYER LIST

In Table 15 we report the trainable neural network layers used in our approach. The image encoder listed is either a ResNet50 (He et al., 2016) or a ResNet101 (He et al., 2016) with two projection layers. The results of *layer3* and *layer4* are each fed through a linear projection layer, *layer3 out* and *layer4 out* respectively, to produce feature maps at stride 16 and stride 32. These two feature maps are then fed into one GP each in the GP pyramid. The support masks is fed through another ResNet (He et al., 2016) in order to produce the support outputs. The GPs are integrated as neural network layers, but do not contain any learnable parameters. The decoder is a DFN (Yu et al., 2018). We do not adopt the border network used in their work and we skip the global average pooling. We also feed it shallow feature maps extracted from the query. The shallow feature maps are the results of *layer1* and *layer2* in the image encoder, at stride 4 and 8 respectively.

Table 15: All neural network blocks used by our approach. The rightmost column shows the dimensions of the output of each block, assuming a  $512 \times 512$  input resolution. The image encoder is from He et al. (2016) and the decoder from Yu et al. (2018). The BottleNeck and BasicBlock blocks are from He et al. (2016), and the CAB and RRB blocks from Yu et al. (2018). See their works for additional details.

Image Encoder		
conv1	Conv2d	$64 \times 256 \times 256$
bn1	BatchNorm2d	$64 \times 256 \times 256$
relu1	ReLU	$64 \times 256 \times 256$
maxpool	MaxPool2d	$64 \times 128 \times 128$
layer1	3x BottleNeck	$256 \times 128 \times 128$
layer2	4x BottleNeck	$512 \times 64 \times 64$
layer3	6x/23x BottleNeck	$1024 \times 32 \times 32$
layer4	3x BottleNeck	$2048 \times 16 \times 16$
layer3 out	Conv2d	$512 \times 32 \times 32$
layer4 out	Conv2d	$512 \times 32 \times 32$
Mask Encoder		
conv1	Conv2d	$16 \times 256 \times 256$
bn1	BatchNorm2d	$16 \times 256 \times 256$
relu1	ReLU	$16 \times 256 \times 256$
maxpool	MaxPool2d	$16 \times 128 \times 128$
layer1	BasicBlock	$32 \times 64 \times 64$
layer2	BasicBlock	$64 \times 32 \times 32$
layer3	BasicBlock	$64 \times 16 \times 16$
layer2 out	Conv2d+BatchNorm2d	$64 \times 32 \times 32$
layer3 out	Conv2d+BatchNorm2d	$64 \times 16 \times 16$
Decoder		
rrb in 1	RRB	$256 \times 16 \times 16$
cab 1	CAB	$256 \times 16 \times 16$
rrb up 1	RRB	$256 \times 16 \times 16$
upsample1	Upsample	$256 \times 32 \times 32$
rrb in 2	RRB	$256 \times 32 \times 32$
cab 2	CAB	$256 \times 32 \times 32$
rrb up 2	RRB	$256 \times 32 \times 32$
upsample2	Upsample	$256 \times 64 \times 64$
rrb in 3	RRB	$256 \times 64 \times 64$
cab 3	CAB	$256 \times 64 \times 64$
rrb up 3	RRB	$256 \times 64 \times 64$
upsample3	Upsample	$256 \times 128 \times 128$
rrb in 4	RRB	$256 \times 128 \times 128$
cab 4	CAB	$256 \times 128 \times 128$
rrb up 4	RRB	$256 \times 128 \times 128$
conv out	Conv2d	$2 \times 128 \times 128$
upsample4	Upsample	$2 \times 512 \times 512$




Figure 4: Qualitative comparison between our final model and baseline in the 1-shot setting from the COCO-20<sup>i</sup> benchmark. Human faces have been pixelized in the visualization, but the model makes predictions on the non-pixelized images.

### E.3 FINAL MASK PREDICTION DETAILS

In 3.5 we transformed the output of the GP before presenting it to the decoder, restoring spatial structure. We present the equations for doing so. Let  $(\cdot)$  denote tensor indexing. The mean representation fed to the decoder is found as

$$(\mathbf{z}_\mu)_{h,w} = (\boldsymbol{\mu}_{Q|S})_{hW+w}, \quad \mathbf{z}_\mu \in \mathbb{R}^{H \times W \times E}. \quad (10)$$

For the covariance we consider spatial neighbours within a square  $N \times N$  window. Let  $\delta = (N - 1)/2$  and  $(i, j) \in \{-\delta, \dots, \delta\}^2$  be the possible offsets within the window. Then, the covariance representation fed to the decoder is

$$(\mathbf{z}_\Sigma)_{h,w,(i+\delta)(2\delta+1)+(j+\delta)} = (\boldsymbol{\Sigma}_{Q|S})_{hW+w,(h+i)W+(w+j)}, \quad \mathbf{z}_\Sigma \in \mathbb{R}^{H \times W \times (2\delta+1)^2}. \quad (11)$$

## F QUALITATIVE RESULTS

We provide qualitative results on PASCAL-5<sup>i</sup> and COCO-20<sup>i</sup>. First, we compare the our final approach to a baseline on the COCO-20<sup>i</sup> benchmark. The baseline also relies on dense GPs - but uses a linear kernel, does not utilize the predictive covariance or learn the GP output space, and uses a single feature level (stride 32). Our final approach instead adopts the SE kernel, adds the predictive covariance in a local  $5 \times 5$  region, learns the output space, and employs dense GPs at two feature levels (stride 16 and stride 32). The results are shown in Figure 4. Our final approach significantly outperforms the baseline in these examples, making only minor mistakes.

In Figure 5 we show qualitative results of our final approach on the PASCAL-5<sup>i</sup> dataset. Our approach accurately segments the class of interested, even details such as sheep legs. In Figure 6, we show results on COCO-20<sup>i</sup>.






Figure 5: Qualitative results on challenging episodes in the 1-shot setting from the PASCAL-5<sup>i</sup> benchmark.




Figure 6: Qualitative results on challenging episodes in the 1-shot setting from the COCO-20<sup>i</sup> benchmark. Human faces have been pixelized in the visualization, but the model makes predictions on the non-pixelized images.